


MASTERGRAIN™

REDEFINE YOUR DOOR



A FIRST IMPRESSION THAT'S BUILT TO LAST

Redefine Your Door

In 2008 Weber Manufacturing Technologies Inc., a Midland, Ontario, Canada-based tooling company, set out to leverage their proprietary Nickel Vapor Deposition (NVD) technology to completely revolutionize how fiberglass entry doors are made. NVD technology provides a unique way to capture fine, surface grain and sub-texture details, found on wood, leather and other materials.

Weber developed a complete offering of fiberglass door designs and fiberglass clad components. The products were branded MASTERGRAIN™ and the company began selling doors across North America. To create a MASTERGRAIN woodgrain door system using NVD technology, a silicone cast of a real wood door is formed and put into a deposition chamber to produce a nickel shell. The nickel shell is used to mold the fiberglass skins that are used on all door slabs and components. Other technologies can replicate woodgrain for fiberglass door production, but none can compare to the intricate, realistic and beautiful detail of a MASTERGRAIN door.

Today, Weber also uses NVD technology to create tooling and finished products for some of the world's most luxurious automotive, aerospace and building products brands.






Esperanza | Contemporary Cherry Stainless Inlay | C614 | Cigar

BUILT BETTER BECAUSE BEAUTY GOES BEYOND SKIN DEEP



Contemporary Cherry Engraved | C125 | Arabica



Craftsman Fir | F300-227515-3x1 | Kenzie

MASTERGRAIN™ products can replicate, with fine detail, woodgrain and texture right down to the knots and swirls that give a wood door its unique character and charm. Components come together seamlessly to create luxurious, durable, high-quality doors that distinguish a home's exterior from a distance and completely adorn its interior. Going beyond its striking appearance, you will find a MASTERGRAIN door has a robust build quality that delivers energy and performance criteria that is best-in-class in the door industry.

The difference is found in the design and engineering, in the quality of the materials used and finally in the state-of-the-art manufacturing process. MASTERGRAIN is the only door brand in the industry to offer fiberglass clad components to improve both appearance and performance. Door skins are made thicker than industry standard to provide more strength to better resist dents, dings and scratches. In addition, composite materials are used for many of the door slab and frame components to eliminate twisting, warping, mold and rot.

The high-density polyurethane foam core provides best-in-class insulation and is chlorofluorocarbons (CFC) free. There is more to a MASTERGRAIN door than meets the eye, although what meets the eye is extremely beautiful. Explore this product catalog to find out which MASTERGRAIN door is right for you.

CONTENTS

A True Entry Door Solution	05	Edge Smooth Contemporary	33-35
It's What's Inside That Counts	06	Edge Smooth YourStyle™	36-37
Molded Fiberglass Door Lite Frames & SDL	07	Edge Smooth Shaker	38-39
Composite Components	08	Edge Smooth Craftsman	41
Fiberglass Cladded Astragals	09	Edge Smooth Contemporary Stainless Inlay	42
Transom Sill, Mull Casing & Glass Stop	09	Edge Smooth Contemporary Engraved	43
Cherry Contemporary Engraved	13	Mahogany Classic	47-49
Cherry Contemporary Stainless Inlay	15	Oak Classic	53-57
Cherry Classic	17-21	Oak Contemporary Engraved	59
Cherry Rustic	22-23	Oak Contemporary Stainless Inlay	61
Fir YourStyle™	26-27	Knotty Alder Rustic	64-65
Fir Craftsman	29	Dimension Matrix	66-75



A TRUE ENTRY DOOR SOLUTION

What sets MASTERGRAIN™ apart? It's the commitment to quality and investment in world-class manufacturing technologies. Every MASTERGRAIN woodgrain fiberglass door is built with fiberglass cladded components in order to deliver a finish that is seamless, strong, and, perhaps best of all, completely stainable. The result is a versatile door that flawlessly replicates the look, texture and aesthetic of real wood.

1. Door Skins

Nickel Vapor Deposition (NVD) technology, a process exclusive to MASTERGRAIN, is used to mold the world's most realistic fiberglass door skins of various woodgrains and thickness.

2. Polyurethane Foam Core

High-density, CFC-free polyurethane foam is injected into the slab core to offer superior insulation, energy efficiency, sound-dampening and resistance to dents.

3. Engineered Wood Stiles

The door stiles on the interior of the fiberglass slab are wider than industry standard and are uniform on both sides of the door. This unlocks more hardware opportunities and provides homeowners with a robust and kick-proof panel. The hardwood cap on the outside of the stile delivers a square edge that can be stained to match the fiberglass skins. This delivers the look of a premium door.

4. Composite Rails

Rot-resistant composite (wood fibers and plastic film) are used for both the top and bottom rails. This material is resilient and more stable than wood or other materials.

5. Composite Reinforced Mull Post

Composite core components with aluminum reinforcement offers increased security and strength. Plus, fiberglass cladding adds ability to stain and match all door components.

6. Molded Fiberglass Door Lite Frame

A patented clip assembly system is employed to eliminate the need for unsightly screws and plugs. It creates a unique look that is completely seamless.

7. Simulated Divided Lites (SDLs)

Made with molded fiberglass to provide countless customization options, SDLs can be used in any design configuration as well as stained to match door panels and other components.

8. Sidelite Composite Glass Stop

Matching composite glass stops, made with or without woodgrain, are installed on the inside of the door lite frame to hold glass securely in place, deliver improved performance and durability and make removal/replacement easier.



9. Composite Jambs with Woodgrain Fiberglass Cladding

All jambs are made using composite material. Woodgrain fiberglass cladded jambs are offered to attain a completely seamless look as they can be stained.

10. Brickmold with Woodgrain Fiberglass Cladding

Available in a variety of sizes and finishes, this fiberglass-cladded brickmold is used as an aesthetic casing. It will not rot, split or warp and is completely stainable for a beautiful and seamless aesthetic.

IT'S WHAT'S INSIDE THAT COUNTS

Every MASTERGRAIN™ door is engineered and built in North America by skilled technicians to ensure the highest quality. Unlike other doors, the manufacturing processes and technologies which MASTERGRAIN employs, eliminate the need to compromise between strength and lasting beauty.

MASTERGRAIN fiberglass doors:

- Do NOT warp, rot or crack like wood doors and requires less maintenance
- Do NOT rust or dent like steel doors
- Have excellent grain and stain matching across fiberglass components
- Are engineered for the extreme hot and cold temperatures of North America

STRENGTH

A pair of robust 4-1/16" stiles run down each side of the door slab. The stiles are made of 3-7/16" engineered wood and a 5/8" hardwood cap.

HIGH DEFINITION

To produce the most realistic woodgrain fiberglass doors, it starts with a high-quality real-wood door. Using our exclusive NVD technology we replicate the organic grain from the door onto a nickel tool. The tool is used to press a fiberglass skin with a minimum thickness of 0.090". To accommodate metal inlays and routed designs we press a 0.175" thick skin.

PERFORMANCE

All of our doors are insulated with high density, CFC free, polyurethane foam. Our formula improves energy efficiency and sound abatement.


CONSTRUCTION

Doors are constructed using rot resistant composite top and bottom rails.

IMPACT TESTED PRODUCTS ARE FOUND UNDER THE FOLLOWING APPROVAL NUMBERS		
Non-Impact	Impact	HVHZ
#FL13320	#FL21852	#FL21852.19* #FL21852.49*



Visit www.floridabuilding.org/pr/pr_app_srch.aspx for details. *Tested with opaque 3'-6" x 8' outswing. MASTERGRAIN doors are NAFA and ENERGY STAR® Canada Certified. Visit <https://oee.nrcan.gc.ca/pml-lmp/index.cfm> to view ENERGY STAR Canada certified products.




MOLDED FIBERGLASS DOOR LITE FRAMES & SIMULATED DIVIDED LITES

MASTERGRAIN™ molds their own patented woodgrain and smooth fiberglass door lite frames that use a clip assembly system that eliminates the need for unsightly screws and plugs to deliver a unique uninterrupted look. MASTERGRAIN also offers molded fiberglass simulated divided lites (SDL).


- Fiberglass frames are more rigid than plastic frames.
- No welded corners ensures a tight weather seal to the door and minimizes distortion.
- Plugless frame system eliminates all unsightly screw holes and plugs for a clean aesthetic.
- Traditional plugged door lite system uses screws and plugs to deliver certified performance for impact, air, water and cycle testing.
- Molded fiberglass SDL bars provide an energy-efficient way to create a number of design configurations for a completely custom look.
- Door glass frames and SDLs can be stained to match door panels and all other MASTERGRAIN door components for a seamless beautiful aesthetic.



1" Wide SDL



3.5" Wide SDL




5.125" Wide SDL



Plugged Frame System



Plugless Frame System



SDLs come pre-taped and notched to create a beautiful lap-joint

SURROUND OPTIONS



CONTEMPORARY

Available grain/texture:
Edge Smooth


Low profile



FLUSH

Available grain/texture:
Fir and Edge Smooth

Flush fit with optional integrated one-piece dentil shelf for the Craftsman Collection




TRADITIONAL

Available grain/texture:
Cherry, Mahogany, Oak and Knotty Alder

Raised profile

COMPOSITE FIBERGLASS CLADDED COMPONENTS

The only NVD fiberglass cladded component frames available in the industry.




- Versatile lengths and widths
- 2X screw holding power due to rigid composite formulation and closed cellular structure
- Rot and moisture resistant
- Stronger than wood door frames
- Low maintenance
- Insect and rodent resistant

COMPOSITE JAMB



COMPOSITE JAMBS			
	4- ⁹ / ₁₆ "	6- ⁹ / ₁₆ "	7- ⁵ / ₈ "
1- ³ / ₄ " cladded	✓	✓	✗
1- ³ / ₄ " non-cladded	✓	✓	✓
2- ¹ / ₄ " cladded	✗	✓	✗

Size and availability depending on grain/model.




COMPOSITE BRICKMOLD




COMPOSITE-CLADED BRICKMOLDS			
	Knotty Alder / Oak	Mahogany/ Cherry	Fir
2"	✓	✓	✗
3- ³ / ₄ "	✗	✓	✓

Size and availability depending on grain/model.



COMPOSITE MULL POST




FIBERGLASS CLADDED ASTRAGALS

Aluminum astragal with fiberglass cladding to match door panels.



Orientation	Size	Cherry/Mahogany Part #	Oak/Knotty Alder Part #	Fir Part #
Left Hand	6'-8"	AST-C-79-LH-BTB	AST-A-79-LH-BTB	AST-F-79-LH-BTB
Right Hand	6'-8"	AST-C-79-RH-BTB	AST-A-79-RH-BTB	AST-F-79-RH-BTB
Left Hand	7'	AST-C-83-LH-BTB	AST-A-83-LH-BTB	AST-F-83-LH-BTB
Right Hand	7'	AST-C-83-RH-BTB	AST-A-83-RH-BTB	AST-F-83-RH-BTB
Left Hand	8'	AST-C-95-LH-BTB	AST-A-95-LH-BTB	AST-F-95-LH-BTB
Right Hand	8'	AST-C-95-RH-BTB	AST-A-95-RH-BTB	AST-F-95-RH-BTB

THERMALLY BROKEN



TRANSOM SILL, MULL CASING & GLASS STOP

COMPOSITE TRANSOM SILL WITH GRAIN
(NON-CLADDED)



Size	Part #	Finish
5-5/8" x 120"	TSCOM4120	Grained
7-5/8" x 120"	TSCOM6120	Grained
5-5/8" x 168"	TSCOM4168P	Smooth Primed
7-5/8" x 168"	TSCOM6168P	Smooth Primed




COMPOSITE GLASS STOPS



Size	Part #	Finish
3/4" x 1/2" x 144"	GS-COMG	Grained
3/4" x 1/2" x 144"	GS-COM	Smooth Raw
.354" x .553" x 99"	GSCOM99	Grained

CHERRY







CHERRY

CONTEMPORARY ENGRAVED



C499 / C599 *



C124 / C154 ** 4




C125 / C155 ** 3



C500 / C550 1




C501 / C551 1



C528 / C553 1



C536 / C552 1



C900 / C950 *** 2



C901 / C951 *** 2




C902 / C952 *** 2



C903 / C953 *** 2



C905 / C955 *** 3



C906 / C956 *** 3



C498 **

Custom design options are available.
Subject to engineering review.

*Also available in 30" width x 7' height and 0.175" thick skins
**Also available in 7' height and 0.175" thick skins
*** 30" and 32" width available for special order

2-1/4" slab thickness available for 8' doors without glass. Only available for 36" x 8' and 42" x 8'.
10" sidelites are only available in 6'-8" for USA distribution.




Engraving stops 3/4" from door edge for air and water protection.

Not all engraved designs offered in 7' height. Check pages 66-75 for details.

SIZING

Heights	6'-8"	7'	8'	
Widths	32"	34"	36"	42"
Sidelites Widths	12"	14"	16"	



*Not engineering drawings. For reference only.



07

CHERRY

CONTEMPORARY STAINLESS INLAY



C601 / C608 1



C602 / C609 1



C603 / C610* 1



C604 / C611 1




C605 / C612* 1



C606 / C613 1



C607 / C614 2



Inlays available in gold, black or stainless

Custom design options are available.
Subject to engineering review.

*Not offered in 7' height.

36" x 8' and 42" x 8' available in 2-1/4" slab thickness.



10" sidelites are only available in 6'-8" for USA distribution.



Inlay stops 3/4" from door edge for air and water protection.

SIZING

Heights	6'-8"	7'	8'
Widths	34"	36"	42"
Sidelites Widths	12"	14"	16"





CHERRY

CLASSIC



C200



Camber Top
22"x11" Glass



2x2 Grid



22"x36" Glass



2x2 Grid



2x3



3x3



C-SL-36



8"x36"
Glass



1x2
Grid



1x3



2x2

*Only available in 10" for USA distribution

SIZING


Heights



Widths



Sidelites
Widths



Embossment



Traditional Surround

CHERRY



C215*



Round Top
8"x42" Glass



C200
22"x64" Glass



2x2 Grid



2x3




2x4



2x5



3x5



Prairie



C-SL-36



6"x64" *
Glass



8"x64" *
Glass



1x2
Grid



1x3



1x4



1x5



2x2



Prairie



Prairie
2H

*8-panel doors only available in 34" and 36" widths.
10" sidelites are only available in flush for USA
distribution.

SIZING

Heights


6'-8" 7'

Widths

32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround

CLASSIC



C220



Oval
14"x37" Glass



Camber Top



2x2



2x3



2x4



3x4



22"x48" Glass



2x2 Grid



2x3



2x4



3x4



Prairie



C-SL-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2

10" sidelites are only available in flush for USA distribution.

SIZING

Heights


6'-8" 7'

Widths

32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround

CHERRY



C233 / C250



C234 5 Planks



Oval
14"x37" Glass



22"x48" / 22"x64"
Glass



2x2 Grid



2x3



2x4



3x4 / 3x5



Prairie



C-SL-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2



Prairie



C8-SL-64



8"x64"
Glass



1x2



1x3



1x4



1x5



2x2




Prairie

2-1/4" slab thickness available for 36" x 8' and 42" x 8' doors, without glass.

10" sidelites are only available in flush for USA distribution.

SIZING

Heights	6'-8"	7'	8'
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"



Embossment



Traditional Surround



C217



C218 3 Planks



C219 5 Planks



C217
28"x48" Glass



2x2 Grid



2x3



2x4



3x4



C8-SL48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2



Prairie

2-1/4" slab thickness available for 42" x 8' doors, without glass.

10" sidelites are only available in flush for USA distribution.

SIZING

Heights

8'

Widths


42"

Sidelites
Widths

12"

14"

16"



Embossment



Traditional Surround

CHERRY



C100



C101 5 Planks



Oval
14"x37" Glass



Camber Top
22"x48" Glass



2x2 Grid



2x3



2x4



C-SLR-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2



Prairie



8"x64"
Glass

SIZING

Heights

6'-8" 7'

Widths

32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround

RUSTIC



C144



C145 5 Planks



Camber Top
22"x64" Glass



2x2 Grid



2x3



2x4



2x5



C-SLR-64



8"x64"
Glass



1x2
Grid



1x3



1x4



1x5



Prairie

SIZING

Heights

8'

Widths

32"

34"

36"

Sidelites
Widths

12"

14"

16"



Embossment



Traditional Surround

FIR





FIR



F800 / F801



F822 / F862



F823 / F863



F824 / F864



F825 / F865



F826 / F866



F827 / F867



F828 / F868



F829 / F869



F830 / F870



F831 / F871



F832 / F872



F833 / F873

SDL bars available in 3-1/2" and 5-1/8" widths.

SIZING

Heights

6'-8"


7'

Widths

32"

34"

36"



Simulated Divided Lites



F800-2264 / F801-2280
22"x64" / 22"x80" Glass



F822-2264 / F862-2280



F823-2264 / F863-2280



F824-2264 / F864-2280



F825-2264 / F865-2280



F826-2264 / F866-2280



F827-2264 / F867-2280



F828-2264 / F868-2280



F829-2264 / F869-2280



F830-2264 / F870-2280



F831-2264 / F871-2280



F832-2264 / F864-2280



F833-2264 / F873-2280*

SDL bars available in 3-1/2" and 5-1/8" widths.

SIZING

Heights

- 6'-8"
- 7'
- 8'

Widths

- 34"
- 36"



Flush Surround



FIR

CRAFTSMAN



F300 / F350



23-3/4"x15" / 23-3/4"x19-1/4"
Glass



2x1 Grid



2x2



3x1



3x2



F-SL2P / F-SL2P
8"x15" / 8"x19-1/4"
Glass



1x2
Grid



2x1
Grid



2x2
Grid



8"x64" / 8"x77"
Glass



Prairie 2H



Craftsman

SIZING



Heights



Widths



Sidelites
Widths



Optional integrated
dentil shelf



Flush Surround

EDGE SMOOTH







EDGE SMOOTH

CONTEMPORARY



E700 / E706



22"x48" / 22"x64"
Glass

2x2 Grid

2x3

2x4

2x5

3x4 / 3x5



E702 / E708

8"x48" / 8"x64"
Glass

1x2
Grid

1x3

1x4

1x5

2x2

SIZING

Heights

6'-8"	7'	8'
-------	----	----

Widths

32"	34"	36"
-----	-----	-----

Sidelites
Widths

12"	14"
-----	-----



Embossment



Contemporary Surround

EDGE SMOOTH



E701*
* Not available in 8'



22"x17"
Glass x1



22"x17"
x2



22"x17"
x3



E703 / E705



8"x64" / 8"x80" L
Glass




8"x64" / 8"x80" C



8"x64" / 8"x80" R



E705
22"x3-1/2"



E704 / E707
8"x64" / 8"x80" Glass



1x2
Grid



1x3



1x4



1x5




2x2


2-1/4" slab thickness available for 8' doors without glass.
Only available for 36" x 8' and 42" x 8'.

SIZING

Heights



Widths



Sidelites
Widths



Embossment




Contemporary Surround

CONTEMPORARY



E703 / E705



22"x64" / 22"x80"
Glass

2x2 Grid

2x3

2x4

2x5

3x5



28"x80" Glass
Only available in
8'x42"



2x2 Grid
28"x80"



2x3
28"x80"



2x4
28"x80"




2x5
28"x80"




3x5
28"x80"

SIZING

Heights



Widths




Contemporary Surround

EDGE SMOOTH



E705



E705-2280
22"x80" Glass



E762



E763



E764



E765



E766



E767



E768



E769



E850*



E851*



E852



E853*

SDL bars available in 3-1/2" and 5-1/8" widths.
*Available in Canada only

SIZING

Heights 8'


Widths 34" 36" 42"



8' only available with contemporary surround



E800 E822 E823 E824 E825 E826 E827 E828 E829



E800-2264 E822-2264 E823-2264 E824-2264 E825-2264 E826-2264 E827-2264 E828-2264 E829-2264
22"x 64"
Glass



E830* E831* E832 E833* E830-2264* E831-2264* E832-2264 E833-2264*

SDL bars available in 3-½" and 5-½" widths.
*Available in Canada only

SIZING

Heights 6'-8" 7'

Widths 34" 36"



6'-8" and 7' available
with flush surround

EDGE SMOOTH



E800



22"x64" Glass



2x2 Grid



2x3



2x4



2x5




3x5



E800
8"x64" Glass



1x2
Grid



1x3



1x4



1x5



2x2

SIZING

Heights	6'-8"	7'
Widths	34"	36"
Sidelites Widths	14"	16"



Flush Surround

SHAKER



E736



22"x36" Glass



2x2 Grid



2x3



3x3



E746



22"x48" Glass



2x2 Grid



2x3



2x4



3x4



E737



8"x36" Glass



2x2 Grid



1x3



2x2



E747



8"x48" Glass



1x2 Grid



1x3



1x4



2x2

SIZING

Heights	6'-8"	7'	8'
Widths	34"	36"	
Sidelites Widths	14"	16"	



Flush Surround



EDGE SMOOTH

CRAFTSMAN



E721



23-3/4"x15" Glass



2x1 Grid



3x1



2x2



3x2

SIZING

Heights

- 6'-8"
- 7'

Widths

- 34"
- 36"



Optional integrated dentil shelf



Flush Surround

EDGE SMOOTH

STAINLESS INLAY



E601 / E608 1



E602 / E609 1



E603 / E610 * 1



E604 / E611 1



E605 / E612 * 1




E606 / E613 1



E607 / E614 2

*No custom sizes available



Inlays available in gold, black or stainless

Custom design options are available.
Subject to engineering review.

*Not offered in 7' height.

36" x 8' and 42" x 8' available in 2-1/4" slab thickness.



10" sidelites are only available in 6'-8" for USA distribution.



Inlay stops 3/4" from door edge for air and water protection.

SIZING

Heights	6'-8"	7'	8'
Widths	34"	36"	42"
Sidelites Widths	12"	14"	16"




EDGE SMOOTH

ENGRAVED




E703 / E705



E500 / E550

1



E501 / E551

1



E528 / E553

1




E536 / E552

1



E900 / E950

2




E901 / E951

2



E902 / E952

2



E903 / E953

2




E904 / E954 *

4



E905 / E955

3



E906 / E956

3




E704 / E707

Custom design options are available.
Subject to engineering review.

*E904/E954 not available in 42" width

36" x 8' and 42" x 8' available in 2-1/4" slab thickness.

10" sidelites are only available in 6'-8" for USA distribution.



Engraving stops 3/4" from door edge for air and water protection.

Not all engraved designs offered in 7' height. Check pages 66-75 for details.

SIZING

Heights

6'-8"

7'

8'

Widths

34"

36"

42"


Sidelites Widths

12"


14"

16"

1




3




*Not engineering drawings. For reference only.

2



4



MAHOGANY







MAHOGANY

CLASSIC



M262



Oval
14"x37" Glass



Camber Top
22"x48" Glass



Camber Top
2x2 Grid



Camber Top
2x3



Camber Top
2x4



M-SL-48



8"x64"
Glass



1x2



1x3



1x4



1x5



Prairie

SIZING

Heights

6'-8" 7'

Widths

32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround

MAHOGANY



M262
22"x48" Glass



2x2 Grid



2x3



2x4



3x4



Prairie



M-SL-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2



Prairie



M247
22"x64" Glass



2x2 Grid



2x3



2x4



2x5



3x5



Prairie

SIZING

Heights

6'-8" 7'

Widths


32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround

CLASSIC



M247



Camber Top
22"x11" Glass



Camber Top
2x2



22"x36" Glass



2x2 Grid



2x3



3x3



M-SL-36



8"x36"
Glass



1x2
Grid



1x3

SIZING

Heights

6'-8" 7'

Widths

32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround

OAK







OAK

CLASSIC



O292



Round Top
8"x42" Glass



O277
22"x64" Glass



2x2 Grid



2x3



2x3



2x5



3x5



Prairie



O-SL-48



8"x64"
Glass



1x2
Grid



1x3



1x4



1x5



2x2



Prairie
2H



Prairie

SIZING

Heights

6'-8"

7'

Widths

34"

36"

Sidelites
Widths


12"

14"

16"



Embossment



Traditional Surround

OAK



O277



Camber Top
22"x11" Glass



Camber Top
2x2 Grid



22"x36" Glass



2x2 Grid



2x3



2x4



3x3



O-SL-36



8"x36"
Glass



1x2
Grid



1x3

SIZING

Heights

6'-8" 7'

Widths

32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround

CLASSIC



O308



O309 5 Planks



Oval
14"x37" Glass



22"x48" Glass



2x2 Grid



2x3



2x4



3x4



Prairie



O-SL-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2



Prairie

SIZING

Heights


6'-8" 7'

Widths

32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround



OAK

CLASSIC



O294



Oval
14"x37" Glass



Camber Top
22"x48" Glass



Camber Top
2x2 Grid



Camber Top
2x3



Camber Top
2x4



Camber Top
3x4



22"x48" Glass



2x2 Grid



2x3



2x4



3x4



Prairie



O-SL-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2



Prairie

SIZING

Heights

6'-8"

7'

Widths

32"

34"

36"

Sidelites
Widths

12"

14"

16"



Embossment



Traditional Surround



OAK

CONTEMPORARY ENGRAVED



O499 / O599 *




O124 / O154 ** 4



O125 / O155 ** 3



O500 / O550 1



O501 / O551 1



O528 / O552 1




O536 / O553 1



O900 / O950 *** 2



O901 / O951 *** 2



O902 / O952 *** 2



O903 / O953 *** 2



O905 / O955 *** 3



O906 / O956 *** 3



O498 **


Custom design options are available.
Subject to engineering review.

*Also available in 30" width x 7' height and 0.175" thick skins

**Also available in 7' height and 0.175" thick skins

*** 30" and 32" width available for special order

2- $\frac{1}{4}$ " slab thickness available for 8' doors without glass. Only available for 36" x 8' and 42" x 8'.
10" sidelites are only available in 6'-8" for USA distribution.



Engraving stops $\frac{3}{4}$ " from door edge for air and water protection.

Not all engraved designs offered in 7' height.
Check pages 66-75 for details.

SIZING

Heights

6'-8"

7'

8'

Widths

32"

34"

36"

42"

Sidelites Widths


10"

12"


14"

16"

1




3




*Not engineering drawings. For reference only.

2




4





OAK


CONTEMPORARY STAINLESS INLAY



O601 / O608 1




O602 / O609 1



O603 / O610 * 1




O604 / O611 1



O605 / O612 * 1



O606 / O613 1




O607 / O614 2



Inlays available in gold, black or stainless

Custom design options are available.
Subject to engineering review.



*Not offered in 7' height.
36" x 8' and 42" x 8' available in 2-1/4" slab thickness.
10" sidelites are only available in 6'-8" for USA distribution.




Inlay stops 3/4" from door edge for air and water protection.

SIZING

Heights	6'-8"	7'	8'
Widths	34"	36"	42"
Sidelites Widths	12"	14"	16"



KNOTTY ALDER





KNOTTY ALDER



KA159 / KA165




KA160 5 Planks /
KA166 5 Planks




Camber Top
22"x36" / 22"x48" Glass




Camber Top
2x2 Grid



Camber Top
2x3



Camber Top
2x4



Camber Top
3x4



22"x36" / 22"x48" Glass



2x2 Grid



2x3



2x4 / 2x4



3x3 / 3x4



Prairie

SIZING

Heights

6'-8" 7' 8'

Widths

32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround

CLASSIC



KA159
22"x64" Glass



2x2 Grid



2x3



2x4



2x5



3x5



Prairie



KA-SLR



8"x36"
Glass



1x2
Grid



1x3



8"x64"
Glass



1x3
Grid



1x5



Prairie



KA-SLR

Available in
8' height



8"x48"
Glass



1x3
Grid



1x4

SIZING

Heights

6'-8"	7'
-------	----

Widths

32"	34"	36"
-----	-----	-----

Sidelites
Widths

12"	14"	16"
-----	-----	-----



Embossment



Traditional Surround

DIMENSION MATRIX

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS
CHERRY	C499/C599	Contemporary	Flush	1.75	Flush		
	C500 C528 C501 C536	Contemporary	Engraved	1.75	Flush		
	C550 C552 C515 C553	Contemporary	Engraved	1.75	Flush		
	C900	Contemporary	Engraved	1.75	Flush		
	C950	Contemporary	Engraved	1.75	Flush		
	C901	Contemporary	Engraved	1.75	Flush		
	C951	Contemporary	Engraved	1.75	Flush		
	C902	Contemporary	Engraved	1.75	Flush		
	C952	Contemporary	Engraved	1.75	Flush		
	C903	Contemporary	Engraved	1.75	Flush		
	C953	Contemporary	Engraved	1.75	Flush		
	C905	Contemporary	Engraved	1.75	Flush		
	C906	Contemporary	Engraved	1.75	Flush		
	C955	Contemporary	Engraved	1.75	Flush		
	C956	Contemporary	Engraved	1.75	Flush		
	C601-C606	Contemporary	Stainless Inlay	1.75	Flush		
	C607	Contemporary	Stainless Inlay	1.75	Flush		

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

WIDTH	HEIGHT			MATCHING SIDELITES	SIDELITE WIDTHS				TESTING		
	6'-8"	7'	8'		10	12	14	16	NAFS	ENERGY STAR	HVHZ
32"	✓	✓	✓	C498	✓	✓	✓	✓	✓	✓	✓
34"	✓	✓	✓								
36"	✓	✓	✓								
42"	✓	✓	✓								
32"	✓			C498	✓	✓	✓	✓	✓	✓	
34"	✓										
36"	✓										
42"	✓										
32"			✓	C498	✓	✓	✓	✓	✓	✓	
34"			✓								
36"			✓								
42"			✓								
32"	✓			C498	✓	✓	✓	✓	✓	✓	
34"	✓										
36"	✓										
42"	✓										
32"			✓	C498	✓	✓	✓	✓	✓	✓	
34"			✓								
36"			✓								
42"			✓								
32"	✓			C498	✓	✓	✓	✓	✓	✓	
34"	✓										
36"	✓										
42"	✓										
32"			✓	C498	✓	✓	✓	✓	✓	✓	
34"			✓								
36"			✓								
42"			✓								
32"	✓			C498	✓	✓	✓	✓	✓	✓	
34"	✓										
36"	✓										
42"	✓										
32"			✓	C498	✓	✓	✓	✓	✓	✓	
34"			✓								
36"			✓								
42"			✓								
32"	✓			C498	✓	✓	✓	✓	✓	✓	
34"	✓										
36"	✓										
42"	✓										
32"			✓	C498	✓	✓	✓	✓	✓	✓	
34"			✓								
36"			✓								
42"			✓								
32"	✓			C498	✓	✓	✓	✓	✓	✓	
34"	✓										
36"	✓										
42"	✓										
32"			✓	C498	✓	✓	✓	✓	✓	✓	
34"			✓								
36"			✓								
42"			✓								
32"	✓			C498	✓	✓	✓	✓	✓	✓	
34"	✓										
36"	✓										
42"	✓										
32"			✓	C498	✓	✓	✓	✓	✓	✓	
34"			✓								
36"			✓								
42"			✓								
32"	✓			C498	✓	✓	✓	✓	✓	✓	
34"	✓										
36"	✓										
42"	✓										
32"			✓	C498	✓	✓	✓	✓	✓	✓	
34"			✓								
36"			✓								
42"			✓								

DIMENSION MATRIX

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS
CHERRY	C200	Classic		1.75	6	22"x11" CT 22"x36" 22"x64"	✓
	C215	Classic		1.75	8	8"x42" RT	
	C220	Classic		1.75		22"x48" CT 22"x48" 14"x37" O	✓
	C233 C234	Classic		1.75	2	14"x37" O 22"x48"	✓
	C250	Classic		1.75	2	22"x64"	✓
	C217 C218 C219	Classic		1.75	2	22"x48" 22"x64"	✓
	C100 C101	Rustic		1.75	2	14"x37" O 22"x48" CT	✓
	C144 C145	Rustic		1.75	2	22"x64"	✓
	C608-C613	Contemporary	Stainless Inlay	1.75	Flush		
	C614	Contemporary	Stainless Inlay	1.75	Flush		
FIR	F800	YourStyle™		1.75	1	22"x64"	✓
	F801	YourStyle™		1.75	1	22"x80"	✓
	F822-F833	YourStyle™		1.75	1	22"x64"	✓
	F862-F873	YourStyle™		1.75	1	22"x80"	✓
	F300	Craftsman		1.75	3	23-3/4"x15"	✓
	F350	Craftsman		1.75	3	23-3/4"x19-1/4"	✓
EDGE SMOOTH	E700	Contemporary		1.75	2	22"x48"	✓

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

WIDTH	HEIGHT			MATCHING SIDELITES	SIDELITE WIDTHS				TESTING			
	6'-8"	7'	8'		10	12	14	16	NAFS	ENERGY STAR	HVHZ	
32"	✓	✓		C-SL-36							✓	
34"	✓	✓					✓	✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"				C-SL-48							✓	
34"	✓	✓					✓	✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"	✓	✓		C-SL-48							✓	
34"	✓	✓					✓	✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"	✓	✓		C-SL-48							✓	
34"	✓	✓					✓	✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"			✓	C8-SL-64							✓	
34"			✓				✓	✓	✓	✓	✓	✓
36"			✓									✓
42"												
32"				C8-SL-48							✓	
34"							✓	✓	✓	✓	✓	✓
36"												✓
42"			✓									
32"	✓	✓		C-SLR							✓	
34"	✓	✓					✓	✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"			✓	C-SLR							✓	
34"			✓				✓	✓	✓	✓	✓	✓
36"			✓									
42"												
32"			✓	C498	✓	✓	✓	✓	✓	✓	✓	
34"			✓									✓
36"			✓									✓
42"			✓									
32"			✓	C498	✓	✓	✓	✓	✓	✓	✓	
34"			✓									✓
36"			✓									✓
42"			✓									
32"				F-SL-864 F-SL2P-815							✓	
34"	✓	✓					✓	✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"			✓	F-SL2P-81925 F-SL-877							✓	
34"			✓				✓	✓	✓	✓	✓	✓
36"			✓									✓
42"												
32"				F-SL-864 F-SL2P-815							✓	
34"	✓	✓					✓	✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"			✓	F-SL-864 F-SL-877							✓	
34"			✓				✓	✓	✓	✓	✓	✓
36"			✓									✓
42"												
32"				F-SL-864 F-SL2P-815							✓	
34"	✓	✓					✓	✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"			✓	F-SL2P-81925 F-SL-877							✓	
34"			✓				✓	✓	✓	✓	✓	✓
36"			✓									
42"												
32"	✓	✓		E702							✓	
34"	✓	✓					✓	✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												

DIMENSION MATRIX

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS
EDGE SMOOTH	E701	Contemporary		1.75	3	22"x17"	
	E703	Contemporary		1.75	Flush		
	E705	Contemporary		1.75	Flush		
	E706	Contemporary		1.75	2	22"x64"	✓
	E800	YourStyle™		1.75	3	22"x64"	✓
	E822-E833	YourStyle™		1.75	3	22"x64"	✓
	E721	Craftsman		1.75	3	23-3/4"x15"	✓
	E736	Shaker		1.75	2	22"x36"	✓
	E746	Shaker		1.75	2	22"x48"	✓
	E601-E607	Contemporary	Stainless Inlay	1.75	Flush		
	E608-E614	Contemporary	Stainless Inlay	1.75	Flush		
	E500-E501	Contemporary	Engraved	1.75	Flush		
	E550-E551	Contemporary	Engraved	1.75	Flush		
	E528	Contemporary	Engraved	1.75	Flush		
	E553	Contemporary	Engraved	1.75	Flush		
	E536	Contemporary	Engraved	1.75	Flush		
	E552	Contemporary	Engraved	1.75	Flush		

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

WIDTH	HEIGHT			MATCHING SIDELITES	SIDELITE WIDTHS				TESTING			
	6'-8"	7'	8'		10	12	14	16	NAFS	ENERGY STAR	HVHZ	
32"	✓	✓									✓	
34"	✓	✓									✓	
36"	✓	✓									✓	
42"												
32"				E704							✓	
34"	✓						✓	✓	✓	✓	✓	✓
36"	✓									✓	✓	✓
42"	✓											
32"				E707							✓	
34"			✓				✓	✓	✓	✓	✓	✓
36"			✓									✓
42"			✓									✓
32"			✓	E708							✓	
34"			✓				✓	✓		✓	✓	✓
36"			✓									✓
42"			✓									✓
32"												
34"	✓	✓									✓	
36"	✓	✓									✓	
42"												
32"											✓	
34"	✓	✓		E737							✓	
36"	✓	✓						✓	✓	✓	✓	✓
42"												✓
42"												
32"				E737							✓	
34"	✓	✓						✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"				E747							✓	
34"			✓					✓	✓	✓	✓	✓
36"			✓									✓
42"												
32"				E704							✓	
34"	✓							✓	✓	✓	✓	✓
36"	✓											✓
42"	✓											
32"				E707							✓	
34"			✓					✓	✓	✓	✓	✓
36"			✓									✓
42"			✓									
32"				E704							✓	
34"	✓	✓						✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"				E707							✓	
34"			✓					✓	✓	✓	✓	✓
36"			✓									✓
42"			✓									
32"				E704							✓	
34"	✓	✓						✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"				E707							✓	
34"			✓					✓	✓	✓	✓	✓
36"			✓									✓
42"			✓									
32"				E704							✓	
34"	✓	✓						✓	✓	✓	✓	✓
36"	✓	✓										✓
42"												
32"				E707							✓	
34"			✓					✓	✓	✓	✓	✓
36"			✓									✓
42"			✓									

DIMENSION MATRIX

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS
EDGE SMOOTH	E904	Contemporary	Engraved	1.75	2		
	E954	Contemporary	Engraved	1.75	2		
	E905	Contemporary	Engraved	1.75	Flush		
	E955	Contemporary	Engraved	1.75	Flush		
	E900-E903	Contemporary	Engraved	1.75	Flush		
	E950-E953	Contemporary	Engraved	1.75	Flush		
MAHOAGANY	M262	Classic		1.75	3	14"x37" O 22"x48" 22"x48" CT	✓
	M247	Classic		1.75	6	22"x11" CT 22"x36" 22"x64"	✓
OAK	O292	Classic		1.75	8	8"x42" RT	
	O277	Classic		1.75	6	22"x11" CT 22"x36" 22"x64"	✓
	O308 O309	Classic		1.75	2	22"x64" 14"x37" O 22"x48"	✓
	O294	Classic		1.75	3	22"x48" CT 14"x37" O	✓
	O499/0599	Contemporary	Flush	1.75	Flush		
	O124	Contemporary	Engraved	1.75	Flush		
	O125	Contemporary	Engraved	1.75	Flush		
	O500 O501	Contemporary	Engraved	1.75	Flush		
	O550 O551	Contemporary	Engraved	1.75	Flush		

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

WIDTH	HEIGHT			MATCHING SIDELITES	SIDELITE WIDTHS				TESTING		
	6'-8"	7'	8'		10	12	14	16	NAFS	ENERGY STAR	HVHZ
32"				E704 E707							✓
34"	✓	✓			✓	✓	✓	✓	✓	✓	✓
36"	✓	✓									✓
42"											✓
32"				E704 E707							✓
34"			✓		✓	✓	✓	✓	✓	✓	✓
36"			✓								✓
42"											✓
32"				E704 E707							✓
34"	✓				✓	✓	✓	✓	✓	✓	✓
36"	✓										✓
42"											✓
32"				E704 E707							✓
34"			✓		✓	✓	✓	✓	✓	✓	✓
36"			✓								✓
42"			✓								✓
32"				E704 E707							✓
34"	✓				✓	✓	✓	✓	✓	✓	✓
36"	✓										✓
42"											✓
32"				E704 E707							✓
34"			✓		✓	✓	✓	✓	✓	✓	✓
36"			✓								✓
42"			✓								✓
32"	✓	✓		M-SL-48							✓
34"	✓	✓			✓	✓	✓	✓	✓	✓	✓
36"	✓	✓									✓
42"											✓
32"	✓	✓		M-SL-36							✓
34"	✓	✓			✓	✓	✓	✓	✓	✓	✓
36"	✓	✓									✓
42"											✓
32"				O-SL-48							✓
34"	✓	✓			✓	✓	✓	✓	✓	✓	✓
36"	✓	✓									✓
42"											✓
32"	✓	✓		O-SL-36							✓
34"	✓	✓			✓	✓	✓	✓	✓	✓	✓
36"	✓	✓									✓
42"											✓
32"	✓	✓		O-SL-48							✓
34"	✓	✓			✓	✓	✓	✓	✓	✓	✓
36"	✓	✓									✓
42"											✓
32"				O498							✓
34"	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓
36"	✓	✓	✓								✓
42"	✓	✓	✓								✓
32"				O498							✓
34"	✓	✓			✓	✓	✓	✓	✓	✓	✓
36"	✓	✓									✓
42"	✓	✓									✓
32"				O498							✓
34"	✓				✓	✓	✓	✓	✓	✓	✓
36"	✓										✓
42"	✓										✓
32"				O498							✓
34"			✓		✓	✓	✓	✓	✓	✓	✓
36"			✓								✓
42"			✓								✓

DIMENSION MATRIX

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS
OAK	O528	Contemporary	Engraved	1.75	Flush		
	O552	Contemporary	Engraved	1.75	Flush		
	O536	Contemporary	Engraved	1.75	Flush		
	O553	Contemporary	Engraved	1.75	Flush		
	O900-O903	Contemporary	Engraved	1.75	Flush		
	O950-O953	Contemporary	Engraved	1.75	Flush		
	O905	Contemporary	Engraved	1.75	Flush		
	O955	Contemporary	Engraved	1.75	Flush		
	O906	Contemporary	Engraved	1.75	Flush		
	O956	Contemporary	Engraved	1.75	Flush		
	O601-O605	Contemporary	Stainless Inlay	1.75	Flush		
	O608-O612	Contemporary	Stainless Inlay	1.75	Flush		
	O606	Contemporary	Stainless Inlay	1.75	Flush		
	O613	Contemporary	Stainless Inlay	1.75	Flush		
	O607	Contemporary	Stainless Inlay	1.75	Flush		
	O614	Contemporary	Stainless Inlay	1.75	Flush		
	KNOTTY ALDER	KA159 KA160	Rustic		1.75	2	22"x36" CT 22"x36" 22"x64"
KA165 KA166		Rustic		1.75	2	22"x48" CT 22"x48"	✓

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

WIDTH	HEIGHT			MATCHING SIDELITES	SIDELITE WIDTHS				TESTING			
	6'-8"	7'	8'		10	12	14	16	NAFS	ENERGY STAR	HVHZ	
32"	✓			O498							✓	
34"	✓						✓			✓	✓	✓
36"	✓							✓				✓
42"	✓								✓			✓
32"			✓	O498							✓	
34"			✓				✓			✓	✓	✓
36"			✓					✓				✓
42"			✓						✓			✓
32"	✓			O498	✓	✓	✓	✓	✓	✓	✓	
34"	✓											✓
36"	✓											✓
42"	✓											✓
32"			✓	O498	✓	✓	✓	✓	✓	✓	✓	
34"			✓									✓
36"			✓									✓
42"			✓									✓
32"	✓			O498	✓	✓	✓	✓	✓	✓	✓	
34"	✓											✓
36"	✓											✓
42"	✓											✓
32"			✓	O498	✓	✓	✓	✓	✓	✓	✓	
34"			✓									✓
36"			✓									✓
42"			✓									✓
32"	✓			O498	✓	✓	✓	✓	✓	✓	✓	
34"	✓											✓
36"	✓											✓
42"	✓											✓
32"			✓	O498	✓	✓	✓	✓	✓	✓	✓	
34"			✓									✓
36"			✓									✓
42"			✓									✓
32"	✓	✓		O498	✓	✓	✓	✓	✓	✓	✓	
34"	✓	✓										✓
36"	✓	✓										✓
42"	✓	✓										✓
32"			✓	O498	✓	✓	✓	✓	✓	✓	✓	
34"			✓									✓
36"			✓									✓
42"			✓									✓
32"	✓	✓		KA-SLR		✓	✓	✓	✓	✓	✓	
34"	✓	✓										✓
36"	✓	✓										✓
42"												✓
32"			✓	KA-SLR		✓	✓	✓	✓	✓	✓	
34"			✓									✓
36"			✓									✓
42"												✓



Limited Lifetime Warranty.

Visit www.mastergrain.com for details.



MASTERGRAIN Manufacturing

16567 ON-12, Midland, ON L4R 4L1

MASTERGRAIN Door Gallery

6260-13 Hwy 7, Woodbridge, ON L4H 4G3

MASTERGRAIN Billing

16566 ON-12, Midland, ON, L4R 4L1

Toll Free 1 (800) 782-0559

Contact Us



MASTERGRAIN™ reserves the right to make changes to product design, finishes and technology. Doors depicted in this brochure may not be exactly as shown.



CERTIFIED

07-2024