

MASTERGRAIN™

REDEFINE YOUR DOOR



BEAUTY IS SKIN DEEP

Redefine Your Door

In 2008 Weber Manufacturing Technologies Inc., a Midland, Ontario, Canada-based tooling company, set out to leverage their proprietary Nickel Vapor Deposition (NVD) technology to completely revolutionize how fiberglass entry doors are made. NVD technology provides a unique way to capture fine, surface grain and sub-texture details, found on wood, leather and other materials.

Weber developed a complete offering of fiberglass door designs and fiberglass clad components. The products were branded MASTERGRAIN™ and the company began selling doors across North America. To create a MASTERGRAIN woodgrain door system using NVD technology, a silicone cast of a real wood door is formed and put into a deposition chamber to produce a nickel shell. The nickel shell is used to mold the fiberglass skins that are used on all door slabs and components. Other technologies can replicate woodgrain for fiberglass door production, but none can compare to the intricate, realistic and beautiful detail of a MASTERGRAIN door.

Today, Weber also uses NVD technology to create tooling and finished products for some of the world's most luxurious automotive, aerospace and building products brands.



Contemporary Cherry Engraved Cigar | C125 | Cigar

DOORS THAT PERFORM AS BEAUTIFULLY AS THEY LOOK


MASTERGRAIN™ products can replicate, with fine detail, woodgrain and texture right down to the knots and swirls that give a wood door its unique character and charm. Components come together seamlessly to create luxurious, durable, high-quality doors that distinguish a home's exterior from a distance and completely adorn its interior. Beyond its striking appearance, you will find a MASTERGRAIN door has a robust build quality that delivers energy and performance criteria that is best-in-class in the door industry.

The difference is found in the design and engineering, in the quality of the materials used and finally in the state-of-the-art manufacturing process. MASTERGRAIN is the only door brand in the industry to offer fiberglass clad components to improve both appearance and performance. Door skins are made thicker than industry standard to provide more strength to better resist dents, dings and scratches. In addition, composite materials are used for many of the door slab and frame components to eliminate twisting, warping, mold and rot.

The high-density polyurethane foam core provides best-in-class insulation and is chlorofluorocarbons (CFC) free. There is more to a MASTERGRAIN door than meets the eye, although what meets the eye is extremely beautiful. Explore this product catalog to find out which MASTERGRAIN door is right for you.



Milo | Contemporary Edge Smooth Engraved | E955 | Distance




CONTENTS

| | | | |
|--|-------|--|-------|
| A True Entry Door Solution | 05 | Edge Smooth Contemporary | 33-35 |
| Built to Last | 06 | Edge Smooth YourStyle™ | 36-37 |
| Molded Fiberglass Door Lite Frames & SDL | 07 | Edge Smooth Shaker | 38-39 |
| Composite Components | 08 | Edge Smooth Craftsman | 41 |
| Pultruded Fiberglass Astragals | 09 | Edge Smooth Contemporary Stainless Inlay | 42 |
| Transom Sill, Mull Casing & Glass Stop | 09 | Edge Smooth Contemporary Engraved | 43 |
| Cherry Contemporary Engraved | 13 | Mahogany Classic | 47-49 |
| Cherry Contemporary Stainless Inlay | 15 | Oak Classic | 53-57 |
| Cherry Classic | 17-21 | Oak Contemporary Engraved | 59 |
| Cherry Rustic | 22-23 | Oak Contemporary Stainless Inlay | 61 |
| Fir YourStyle™ | 26-27 | Knotty Alder Rustic | 64-65 |
| Fir Craftsman | 29 | Dimension Matrix | 66-75 |

A TRUE ENTRY DOOR SOLUTION

What sets MASTERGRAIN™ apart? It's the commitment to quality and investment in world-class manufacturing technologies. Every MASTERGRAIN woodgrain fiberglass door is built with fiberglass cladded components in order to deliver a finish that is seamless, strong and completely stainable. The result is a versatile door that flawlessly replicates the look, texture and aesthetic of real wood.

- 1 Molded Fiberglass Door Lite Frame**
A patented clip assembly system is employed to eliminate the need for unsightly screws and plugs. It creates a unique look that is completely seamless.
- 2 Polyurethane Foam Core**
High-density, CFC-free polyurethane foam is injected into the slab core to offer superior insulation, energy efficiency, sound-dampening and resistance to dents.
- 3 Composite Rails**
Rot-resistant composite (wood fibers and plastic film) are used for both the top and bottom rails. This material is resilient and more stable than wood or other materials.
- 4 Simulated Divided Lites (SDLs)**
Made with molded fiberglass to provide countless customization options, SDLs can be used in any design configuration as well as stained to match door panels and other components.
- 5 Sidelite Composite Glass Stop**
Matching composite glass stops, made with or without woodgrain, are installed on the inside of the door lite frame to hold glass securely in place, deliver improved performance and durability and make removal/replacement easier.
- 6 Engineered Wood Stiles**
The door stiles on the interior of the fiberglass slab are wider than industry standard and are uniform on both sides of the door. This unlocks more hardware opportunities and provides homeowners with a robust and kick-proof panel. The hardwood cap on the outside of the stile delivers a square edge that can be stained to match the fiberglass skins. This delivers the look of a premium door.
- 7 Composite Reinforced Mull Post**
Composite core components with aluminum reinforcement routed into door headers offer increased security and strength. Plus, fiberglass cladding adds ability to stain and match all door components.
- 8 Composite Jambes with Woodgrain Fiberglass Cladding**
All jambes are made using composite material. Woodgrain fiberglass cladded jambes are offered to attain a completely seamless look as they can be stained.
- 9 Brickmold with Woodgrain Fiberglass Cladding**
Available in a variety of sizes and finishes, this fiberglass-cladded brickmold is used as an aesthetic casing. It will not rot, split or warp and is completely stainable for a beautiful and seamless aesthetic.
- 10 Door Skins**
Nickel Vapor Deposition (NVD) technology, a process exclusive to MASTERGRAIN, is used to mold the world's most realistic fiberglass door skins of various woodgrains and thickness.



BUILT TO LAST

Every MASTERGRAIN™ door is engineered and built in North America by skilled technicians to ensure the highest quality. Unlike other doors, the manufacturing processes and technologies which MASTERGRAIN employs, eliminate the need to compromise between strength and lasting beauty.

MASTERGRAIN fiberglass doors:

- Do NOT warp, rot or crack like wood doors and requires less maintenance
- Do NOT rust or dent like steel doors
- Have seamless grain and stain matching across fiberglass components
- Are engineered for the extreme hot and cold temperatures of North America

STRENGTH

A pair of robust 4-1/16" stiles run down each side of the door slab. The stiles are made of 3-7/16" engineered wood and a 5/8" hardwood cap.

HIGH DEFINITION

To produce the most realistic woodgrain fiberglass doors, it starts with a high-quality real-wood door. Using our exclusive NVD technology we replicate the organic grain from the door onto a nickel tool. The tool is used to press a fiberglass skin with a minimum thickness of 0.090". To accommodate metal inlays and routed designs we press a 0.175" thick skin.

PERFORMANCE

All of our doors are insulated with high density, CFC free, polyurethane foam. Our formula improves energy efficiency and sound abatement.

CONSTRUCTION


Doors are constructed using rot resistant composite top and bottom rails.

IMPACT TESTED PRODUCTS ARE FOUND UNDER THE FOLLOWING APPROVAL NUMBERS

| Non-Impact | Impact | HVHZ |
|------------|----------|------------------------------|
| #FL13320 | #FL21852 | #FL21852.19* #FL21852.49* |




Visit www.floridabuilding.org/pr/pr_app_srch.aspx for details. *Tested with opaque 3'-6" x 8' outswing. MASTERGRAIN doors are NAFS and ENERGY STAR® Canada Certified. Visit <https://oee.nrcan.gc.ca/pml-imp/index.cfm> to view ENERGY STAR Canada certified products



MOLDED FIBERGLASS DOOR LITE FRAMES & SIMULATED DIVIDED LITES

MASTERGRAIN™ molds their own patented woodgrain and smooth fiberglass door lite frames that use a clip assembly system that eliminates the need for unsightly screws and plugs to deliver a unique uninterrupted look. MASTERGRAIN also offers molded fiberglass simulated divided lites (SDL).

- Fiberglass frames are more rigid than plastic frames.
- Molded door lite frames ensure a tight weather seal to the door and minimizes distortion.
- Plugless frame system eliminates all unsightly screw holes and plugs for a clean aesthetic.
- Traditional plugged door lite system uses screws and plugs to deliver certified performance for impact, air and water.
- Molded fiberglass SDL bars provide an energy-efficient way to create a number of design configurations for a completely custom look.
- Door glass frames and SDLs can be stained to match door panels and all other MASTERGRAIN door components for a seamless beautiful aesthetic.



SDLs come pre-taped and notched to create a beautiful lap-joint


SURROUND OPTIONS



CONTEMPORARY

Available grain/texture: Edge Smooth


Low profile



FLUSH - EDGE SMOOTH

Available grain/texture: Edge Smooth


Flush fit with optional integrated one-piece dentil shelf for the Craftsman Collection



FLUSH - FIR

Available grain/texture: FIR


Flush fit with optional integrated one-piece dentil shelf for the Craftsman Collection



TRADITIONAL

Available grain/texture: Cherry, Mahogany, Oak and Knotty Alder

Raised profile



COMPOSITE FIBERGLASS CLADDED COMPONENTS

The only NVD fiberglass cladded component frames available in the industry.




- Versatile lengths and widths
- 2X screw holding power due to rigid composite formulation and closed cellular structure
- Rot and moisture resistant
- Stronger than wood door frames
- Low maintenance
- Insect and rodent resistant

COMPOSITE JAMB



| COMPOSITE JAMBS | 4-9/16" | 6-9/16" | 7-5/8" |
|--------------------|---------|---------|--------|
| 1-3/4" cladded | ✓ | ✓ | ✗ |
| 1-3/4" non-cladded | ✓ | ✓ | ✓ |
| 2-1/4" cladded | ✗ | ✓ | ✗ |

Size and availability depending on grain/model.




COMPOSITE BRICKMOLD




| COMPOSITE-CLADDED BRICKMOLDS | Knotty Alder / Oak | Mahogany/ Cherry | Fir |
|------------------------------|--------------------|------------------|-----|
| 2" | ✓ | ✓ | ✗ |
| 3-3/4" | ✗ | ✓ | ✓ |


Size and availability depending on grain/model.



COMPOSITE MULL POST




PULTRUDED FIBERGLASS CLADDED ASTRAGALS



| Orientation | Size | Cherry / Mahogany | Fir | Oak | Knotty Alder |
|-------------|-------|-------------------|-----|-----|--------------|
| Left Hand | 6'-8" | ✓ | ✓ | ✓ | ✓ |
| Right Hand | 6'-8" | ✓ | ✓ | ✓ | ✓ |
| Left Hand | 7' | ✓ | ✓ | ✓ | ✓ |
| Right Hand | 7' | ✓ | ✓ | ✓ | ✓ |
| Left Hand | 8' | ✓ | ✓ | ✓ | ✓ |
| Right Hand | 8' | ✓ | ✓ | ✓ | ✓ |

TRANSOM SILL, MULL CASING & GLASS STOP

COMPOSITE TRANSOM SILL WITH GRAIN (NON-CLADDED)



| Size | Part # | Finish |
|---------------|------------|---------------|
| 5-5/8" x 120" | TSCOM4120 | Grained |
| 7-5/8" x 120" | TSCOM6120 | Grained |
| 5-5/8" X 168" | TSCOM4168P | Smooth Primed |
| 7-5/8" X 168" | TSCOM6168P | Smooth Primed |



COMPOSITE GLASS STOPS (NON-CLADDED)



| Size | Part # | Finish |
|---------------------|---------|------------|
| 3/4" x 1/2" x 144" | GS-COMG | Grained |
| 3/4" x 1/2" x 144" | GS-COM | Smooth Raw |
| .354" x .553" x 99" | GSCOM99 | Grained |


CHERRY





CHERRY

CONTEMPORARY ENGRAVED




***Also available in 30" width x 7' height and 0.175" thick skins**

**** 30" width available for special order**

2-1/4" slab thickness available for 8' doors without glass. Only available for 36" x 8' and 42" x 8'.

Custom design options are available. Subject to engineering review.

- SIZING**
- Heights** 6'-8" 7' 8'
- Widths** 32" 34" 36" 42"
- Sidelites Widths** 12" 14" 16"
- 10" flush panel sidelites available.



*Not engineering drawings. For reference only.




CHERRY

CONTEMPORARY STAINLESS INLAY




C601 / C608 1




C602 / C609 1




C603 / C610 * 1



C604 / C611 1



C605 / C612 * 1



C606 / C613 1



C607 / C614 ** 2



C615 / C665 * 3



Inlay stops before door edge for air and water protection.
Inlays available in gold, black or stainless.
Black mirrored inlay available for C615 / C665 only.

*Not offered in 7' height.
**Not offered in custom sizes

36" x 8' and 42" x 8' available in 2-1/4" slab thickness.

Custom design options are available.
Subject to engineering review.


SIZING

Heights 6'-8" 7' 8'

Widths 34" 36" 42"

Sidelites Widths 12" 14" 16"

10" flush panel sidelites available.
See C498 on page 13.



*Not engineering drawings. For reference only.



CHERRY

CLASSIC



C200



Camber Top
22"x11" Glass



2x2 Grid



22"x36" Glass



2x2 Grid



2x3



3x3



C-SL-36



8"x36"
Glass



1x2
Grid



1x3



2x2

SIZING

Heights

6'-8" 7'


Widths

32" 34" 36"


Sidelites
Widths

12" 14" 16"

10" flush panel sidelites available.
See C498 on page 13.



Embossment



Traditional Surround

CHERRY

CLASSIC



C215*



Round Top
8"x42" Glass



C200
22"x64" Glass



2x2 Grid



2x3



2x4



2x5



3x5



Prairie



C-SL-36



6"x64" *
Glass



8"x64"
Glass



1x2
Grid



1x3



1x4



1x5



2x2



Prairie



Prairie
2H



C220



Oval
14"x37" Glass



Camber Top



2x2



2x3



2x4



3x4



22"x48" Glass



2x2 Grid



2x3



2x4



3x4



Prairie



Camber Top



C-SL-48



8"x48"
Glass



1x2
Grid



1x3



1x4




2x2


*8-panel doors only available in 34" and 36" widths.
10" sidelites are only available in flush for USA distribution.

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |



Embossment




Traditional Surround


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |

10" flush panel sidelites available.
See C498 on page 13.



Embossment



Traditional Surround

CHERRY

CLASSIC



C233 / C250 C234 5 Planks Oval
14"x37" Glass



22"x48" / 22"x64" Glass 2x2 Grid 2x3 2x4 3x4 / 3x5 Prairie




C-SL-48 8"x48" Glass 1x2 Grid 1x3 1x4 2x2 Prairie C8-SL-64 8"x64" Glass 1x2 Grid 1x3 1x4 1x5 2x2 Prairie

2-1/4" slab thickness available for 36" x 8' and 42" x 8' doors, without glass.


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | 8' |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |

10" flush panel sidelites available.
See C498 on page 13.



Embossment



Traditional Surround



C217 C218 3 Planks C219 5 Planks



C217 28"x48" Glass 2x2 Grid 2x3 2x4 3x4




C8-SL-48 8"x48" Glass 1x2 Grid 1x3 1x4 2x2 Prairie

2-1/4" slab thickness available for 42" x 8' doors, without glass.


SIZING

| | | | |
|------------------|-----|-----|-----|
| Heights | 8' | | |
| Widths | 42" | | |
| Sidelites Widths | 12" | 14" | 16" |

10" flush panel sidelites available.
See C498 on page 13.



Embossment



Traditional Surround

CHERRY

RUSTIC



C100



C101 5 Planks



Oval
14"x37" Glass



Camber Top



Camber Top
22"x48" Glass



2x2 Grid



2x3



2x4



3x4



Camber Top



C-SLR-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2



Prairie



8"x64"
Glass



C144



C145 5 Planks



Camber Top



Camber Top
22"x64" Glass



2x2 Grid



2x3



2x4



2x5



3x5



Camber Top



C-SLR-64



8"x64"
Glass



1x2
Grid



1x3



1x4



1x5




Prairie


SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |

10" flush panel sidelites available.
See C498 on page 13.



Embossment




Traditional Surround


SIZING

| | | | |
|------------------|-----|-----|-----|
| Heights | 8' | | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |

10" flush panel sidelites available.
See C498 on page 13.



Embossment



Traditional Surround

FIR





F800 / F801




F822 / F862



F823 / F863



F824 / F864



F825 / F865



F800-2264 / F801-2280
22"x64" / 22"x80" Glass



F822-2264 / F862-2280



F823-2264 / F863-2280



F824-2264 / F864-2280



F825-2264 / F865-2280



F826 / F866



F827 / F867



F828 / F868



F829 / F869



F830 / F870



F826-2264 / F866-2280



F827-2264 / F867-2280



F828-2264 / F868-2280



F829-2264 / F869-2280



F830-2264 / F870-2280



F831 / F871



F832 / F872



F833 / F873



F834 / F874



F835 / F875



F831-2264 / F871-2280



F832-2264 / F864-2280



F833-2264 / F873-2280




8"x64" / 8"x77" Glass
F-SL-1P / F-SL-1P Glass

SDL bars available in 3-1/2" and 5-1/8" widths.

SIZING

Heights 6'-8" 7' 8'

Widths 34" 36"




Simulated Divided Lites

SDL bars available in 3-1/2" and 5-1/8" widths.

SIZING

Heights 6'-8" 7' 8'

Widths 34" 36"




Flush Surround




FIR


CRAFTSMAN



F300 / F350



23-3/4"x15" / 23-3/4"x19-1/4"
Glass



2x1 Grid



2x2



3x1



3x2



F-SL-2P / F-SL-2P
8"x15" / 8"x19-1/4"
Glass




1x2
Grid



2x1
Grid



2x2
Grid



8"x64" / 8"x77"
Glass



Prairie 2H



Craftsman

SIZING


Heights 6'-8" 7' 8'

Widths 34" 36"

Sidelites
Widths 12" 14" 16"



Optional integrated
dentil shelf



Flush Surround

EDGE SMOOTH





EDGE SMOOTH

CONTEMPORARY



E701*
* Not available in 8'



22"x17"
Glass x1



22"x17"
x2



22"x17"
x3



E703 / E705



8"x64" / 8"x80" L
Glass



8"x64" / 8"x80" C



8"x64" / 8"x80" R



E705
22"x3-1/2"



E704 / E707
8"x64" / 8"x80" Glass



Flush



1x2
Grid



1x3



1x4



1x5



2x2

2-1/4" slab thickness available for 8' doors without glass.
Only available for 36" x 8' and 42" x 8'.

SIZING

| | | | | | | | |
|------------------|-------|-----|-----|-----|-----|-----|-----|
| Heights | 6'-8" | 7' | 8' | | | | |
| Widths | 32" | 34" | 36" | 32" | 34" | 36" | 42" |
| Sidelites Widths | 12" | 14" | 16" | | | | |



Embossment



Contemporary Surround

EDGE SMOOTH

CONTEMPORARY




E700 / E706




E703 / E705



22"x48" / 22"x64" Glass 2x2 Grid 2x3 2x4 2x5 3x4 / 3x5



22"x64" / 22"x80" Glass 2x2 Grid 2x3 2x4 2x5 3x5




E702 / E708 8"x48" / 8"x64" Glass 1x2 Grid 1x3 1x4 1x5 2x2



28"x80" Glass Only available in 42"x8" 2x2 Grid 28"x80" 2x3 28"x80" 2x4 28"x80" 2x5 28"x80" 3x5 28"x80"

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | 8' |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | |



Embossment Contemporary Surround

SIZING


| | | | | |
|---------|-------|-----|-----|-----|
| Heights | 6'-8" | 7' | 8' | |
| Widths | 32" | 34" | 36" | 42" |



Contemporary Surround

EDGE SMOOTH

YourStyle™



SDL bars available in 3-½" and 5-½" widths.
*Available in Canada only

SIZING

| | | | |
|---------|-----|-----|-----|
| Heights | 8' | | |
| Widths | 34" | 36" | 42" |




8' only available with contemporary surround

SDL bars available in 3-½" and 5-½" widths.
*Available in Canada only

SIZING

| | | |
|---------|-------|-----|
| Heights | 6'-8" | 7' |
| Widths | 34" | 36" |



6'-8" and 7' available with flush surround

EDGE SMOOTH

SHAKER




E800




22"x64" Glass



2x2 Grid



2x3



2x4



2x5



3x5



E704
8"x64" Glass



Flush



1x2
Grid



1x3



1x4



1x5



2x2



E736



22"x36" Glass



2x2 Grid



2x3



3x3



E746



22"x48" Glass



2x2 Grid



2x3



2x4



3x4



E737



8"x36"
Glass



2x2
Grid



1x3



2x2



E747



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2

SIZING

| | | |
|------------------|-------|-----|
| Heights | 6'-8" | 7' |
| Widths | 34" | 36" |
| Sidelites Widths | 14" | 16" |



Flush Surround

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | 8' |
| Widths | 34" | 36" | |
| Sidelites Widths | 12" | 14" | 16" |



Flush Surround



EDGE SMOOTH

CRAFTSMAN



E721



23-3/4"x15" Glass



2x1 Grid



3x1



2x2



3x2


SIZING

Heights 6'-8" 7'

Widths 34" 36"



Optional integrated dentil shelf




Flush Surround

REDEFINE YOUR DOOR

EDGE SMOOTH

STAINLESS INLAY



E601 / E608 **1**




E602 / E609 **1**




E603 / E610 * **1**



E604 / E611 **1**



E605 / E612 * **1**



E606 / E613 **1**



E607 / E614 **2**



E615 / E665 * **3**

*No custom sizes available

*Not offered in 7' height.
**Not offered in custom sizes

36" x 8" and 42" x 8" available in 2-1/4" slab thickness.



Inlay stops before door edge for air and water protection.
Inlays available in gold, black or stainless.
Black mirrored inlay available for C615 / C665 only.

Custom design options are available.
Subject to engineering review.


SIZING

Heights **6'-8"** **7'** **8'**

Widths **34"** **36"** **42"**

Sidelites Widths **12"** **14"** **16"**

10" flush panel sidelites available.
See E704/E707 on page 43.




*Not engineering drawings. For reference only.

EDGE SMOOTH


ENGRAVED




E703 / E705




E500 / E550 **1**




E501 / E551 **1**




E528 / E553 **1**



E536 / E552 **1**




E900 / E950 **2**




E901 / E951 **2**




E902 / E952 **2**




E903 / E953 **2**




E904 / E954 * **3**




E905/E955 **2**




E906 / E956 **2**



E907 / E957 **2**



E908 / E958 **2**



E704/E707



Engraving stops before door edge for air and water protection.

Not all engraved designs offered in 7' height.
Check pages 66-75 for details.

*E904/E954 not available in 42" width
36" x 8" and 42" x 8" available in 2-1/4" slab thickness.

Custom design options are available.
Subject to engineering review.


SIZING

Heights **6'-8"** **7'** **8'**

Widths **34"** **36"** **42"**

Sidelites Widths **12"** **14"** **16"**

10" flush panel sidelites available.
See E704/E707 on page 43.



*Not engineering drawings. For reference only.

MAHOGANY





MAHOGANY

CLASSIC



M262



Oval
14"x37" Glass



Camber Top
22"x48" Glass



Camber Top
2x2 Grid



Camber Top
2x3



Camber Top
2x4



Camber Top
3x4



Camber Top



M-SL-48



8"x64"
Glass



1x2



1x3



1x4



1x5




Prairie

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |



Embossment



Traditional Surround

REDEFINE YOUR DOOR

MAHOGANY

CLASSIC



M262
22"x48" Glass



2x2 Grid



2x3



2x4



3x4



Prairie



M247



Camber Top
22"x11" Glass



Camber Top
2x2



M-SL-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2



Prairie



22"x36" Glass



2x2 Grid



2x3



3x3



M247
22"x64" Glass



2x2 Grid



2x3



2x4



2x5



3x5



Prairie



M-SL-36



8"x36"
Glass




1x2
Grid




1x3

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |




Embossment




Traditional Surround

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |



Embossment



Traditional Surround

OAK





OAK

CLASSIC



O292



Round Top
8"x42" Glass



O277
22"x64" Glass



2x2 Grid



2x3



2x3



2x5



3x5



Prairie



O-SL-48



8"x64" Glass



1x2 Grid



1x3



1x4



1x5



2x2




Prairie 2H



Prairie

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 34" | 36" | |
| Sidelites Widths | 12" | 14" | 16" |



Embossment



Traditional Surround

REDEFINE YOUR DOOR

OAK

CLASSIC



O277



Camber Top
22"x11" Glass



Camber Top
2x2 Grid



22"x36" Glass



2x2 Grid



2x3



2x4



3x3



O-SL-36



8"x36"
Glass



1x2
Grid



1x3



O308



O309 5 Planks



Oval
14"x37" Glass



22"x48" Glass



2x2 Grid



2x3



2x4



3x4



Prairie



O-SL-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2



Prairie

SIZING

Heights


6'-8" 7'

Widths


32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround

SIZING

Heights


6'-8" 7'

Widths


32" 34" 36"

Sidelites
Widths

12" 14" 16"



Embossment



Traditional Surround



OAK

CLASSIC



O294



Oval
14"x37" Glass



Camber Top
22"x48" Glass



Camber Top
2x2 Grid



Camber Top
2x3



Camber Top
2x4



Camber Top
3x4



22"x48" Glass



2x2 Grid



2x3



2x4



3x4



Prairie



Camber Top



O-SL-48



8"x48"
Glass



1x2
Grid



1x3



1x4



2x2




Prairie

SIZING

Heights 6'-8" 7'

Widths 32" 34" 36"

Sidelites Widths 12" 14" 16"



Embossment



Traditional Surround



OAK

CONTEMPORARY ENGRAVED

O499 / O599 * O124 / O154 ** 3 O125 / O155 ** 3 O500 / O550 1 O501 / O551 1 O528 / O553 1

O536 / O553 1 O900 / O950 *** 2 O901 / O951 *** 2 O902 / O952 *** 2 O903 / O953 *** 2 O905 / O955 *** 2

O906 / O956 *** 2 O907 / O957 *** 2 O908 / O958 *** 2 O498 **

Engraving stops before door edge for air and water protection.


Not all engraved designs offered in 7' height. Check pages 66-75 for details.

*Also available in 30" width x 7' height and 0.175" thick skins
 *** 30" and 32" width available for special order

2-1/4" slab thickness available for 8' doors without glass. Only available for 36" x 8' and 42" x 8'.

Custom design options are available. Subject to engineering review.


- SIZING**
- Heights: 6'-8" 7' 8'
- Widths: 32" 34" 36" 42"
- Sidelites Widths: 10" 12" 14" 16"
- 10" flush panel sidelites available.






OAK

CONTEMPORARY STAINLESS INLAY



O601 / O608 1




O602 / O609 1




O603 / O610 * 1



O604 / O611 1



O605 / O612 * 1




O606 / O613 1



O607 / O614 2



O615/O665 * 3



Inlay stops before door edge for air and water protection.
Inlays available in gold, black or stainless.
Black mirrored inlay available for C615 / C665 only.


*Not offered in 7' height.
**Not offered in custom sizes.
36" x 8' and 42" x 8' available in 2-1/4" slab thickness.

Custom design options are available.
Subject to engineering review.

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | 8' |
| Widths | 34" | 36" | 42" |
| Sidelites Widths | 12" | 14" | 16" |

10" flush panel sidelites available.
See O498 on page 59.



*Not engineering drawings. For reference only.

KNOTTY ALDER



KNOTTY ALDER

RUSTIC



KA159 / KA165



KA160 5 Planks / KA166 5 Planks



Camber Top




Camber Top
22"x36" / 22"x48" Glass



Camber Top
2x2 Grid



Camber Top
2x3



Camber Top
2x4



Camber Top
3x4



Camber Top



22"x36" / 22"x48" Glass



2x2 Grid



2x3



2x4 / 2x4



3x3 / 3x4



Prairie



KA159
22"x64" Glass



2x2 Grid



2x3



2x4



2x5



3x5



Prairie



KA-SLR



8"x36" Glass



1x2 Grid



2x2



1x3



8"x64" Glass



1x2 Grid



1x3



1x4



1x5



Prairie



C8-KA-SLR
Available in
8' height



8"x48" Glass



1x2 Grid



2x2




1x3




1x4

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | 8' |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |




Embossment



Traditional Surround

SIZING

| | | | |
|------------------|-------|-----|-----|
| Heights | 6'-8" | 7' | |
| Widths | 32" | 34" | 36" |
| Sidelites Widths | 12" | 14" | 16" |



Embossment



Traditional Surround

DIMENSION MATRIX

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

| GRAIN | MODEL NUMBER | COLLECTION | DESIGN | DOOR THICKNESS | PANEL NUMBER | CUTOUT OPTIONS | SDL OPTIONS | WIDTH | HEIGHT | | | MATCHING SIDELITE | SIDELITE WIDTH | | | | TESTING | | | |
|---------------|------------------------|--------------|-----------------|------------------|--------------|------------------------------------|-------------|--------------------------|------------------|------------------|----|-------------------|----------------|-----|-----|-----|---------|-------------|------|---|
| | | | | | | | | | 6-8" | 7' | 8' | | 10" | 12" | 14" | 16" | NAFS | ENERGY STAR | HVHZ | |
| CHERRY | C100/C101 | Rustic | | 1-3/4" | 2 | 14"x37" O 22"x48" CT | • | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | |
| | C144/C145 | Rustic | | 1-3/4" 2-1/4" | 2 | 22"x64" | • | 32" 34" 36" 42" | | • • • • | | | • | • | • | • | • | • | • | |
| | C200 | Classic | | 1-3/4" | 6 | 22"x11" CT 22"x36" 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | |
| | C215 | Classic | | 1-3/4" | 8 | 8"x42" RT 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |
| | C217/C218/ C219 | Classic | | 1-3/4" 2-1/4" | 2 | 22"x48" 22"x64" | • | 32" 34" 36" 42" | | • • • • | | | • | • | • | • | • | • | • | • |
| | C220 | Classic | | 1-3/4" | 3 | 22"x48" CT 22"x48" 14"x37" O | • | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |
| | C233/C234 | Classic | | 1-3/4" | 2 | 14"x37" O 22"x48" | • | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |
| | C250 | Classic | | 1-3/4" 2-1/4" | 2 | 22"x64" | • | 32" 34" 36" 42" | | • • • • | | | • | • | • | • | • | • | • | • |
| | C499/C599 | Contemporary | Flush | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |
| | C500/C528 C501/C536 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |
| | C550/C552 C515/C553 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | • • • • | | | • | • | • | • | • | • | • | • |
| | C601/C606 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |
| | C607 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |
| | C608/C613 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | • • • • | | | • | • | • | • | • | • | • | • |
| | C614 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | • • • • | | | • | • | • | • | • | • | • | • |
| | C615 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |
| | C665 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | • • • • | | | • | • | • | • | • | • | • | • |
| | C900 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |
| | C901 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | | • | • | • | • | • | • | • | • |

DIMENSION MATRIX

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

| GRAIN | MODEL NUMBER | COLLECTION | DESIGN | DOOR THICKNESS | PANEL NUMBER | CUTOUT OPTIONS | SDL OPTIONS | WIDTH | HEIGHT | | | MATCHING SIDELITE | SIDELITE WIDTH | | | | TESTING | | | |
|-----------|--------------|--------------|------------------|------------------|--------------|-----------------|-------------|-------|--------|----|----|--------------------------|----------------------|-----|-----|-----|---------|-------------|------|---|
| | | | | | | | | | 6-8" | 7' | 8' | | 10" | 12" | 14" | 16" | NAFS | ENERGY STAR | HVHZ | |
| CHERRY | C902 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" | • | | | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | | | | | | | | | | | |
| | | | | | | | | 42" | • | | | | | | | | | | | |
| | C903 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | | | C498 | • | • | • | • | • | • | • |
| | | | | | | | | | 34" | • | | | | | | | | | | |
| | | | | | | | | | 36" | • | | | | | | | | | | |
| | | | | | | | | | 42" | • | | | | | | | | | | |
| | C905 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | | | C498 | • | • | • | • | • | • | • |
| | | | | | | | | | 34" | • | | | | | | | | | | |
| | | | | | | | | | 36" | • | | | | | | | | | | |
| | | | | | | | | | 42" | • | | | | | | | | | | |
| | C906 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | | | C498 | • | • | • | • | • | • | • |
| | | | | | | | | | 34" | • | | | | | | | | | | |
| | | | | | | | | | 36" | • | | | | | | | | | | |
| | | | | | | | | | 42" | • | | | | | | | | | | |
| | C907 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | • | | C498 | • | • | • | • | • | • | • |
| | | | | | | | | | 34" | • | • | | | | | | | | | |
| | | | | | | | | | 36" | • | • | | | | | | | | | |
| | | | | | | | | | 42" | • | • | | | | | | | | | |
| C957 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| C908 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | • | | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | |
| | | | | | | | | 42" | • | • | | | | | | | | | | |
| C958 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| C950 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| C951 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| C952 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| C953 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| C955 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| C956 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | C498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| FIR | F300 | Craftsman | | 1-3/4" | 3 | 23-3/4"x15" | • | 32" | | | | F-SL-864 F-SL2P-815 | | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | |
| | F350 | Craftsman | | 1-3/4" 2-1/4" | 3 | 23-3/4"x19-1/4" | • | | 32" | | | | F-SL-864 F-SL-877 | | • | • | • | • | • | • |
| 34" | | | | | | | | | | | • | | | | | | | | | |
| 36" | | | | | | | | | | | • | | | | | | | | | |
| F801 | YoutStyle™ | | 1-3/4" 2-1/4" | 1 | 22"x80" | • | | 32" | | | | F-SL2P-81925 F SL-877 | | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | |
| F822/F833 | YoutStyle™ | | 1-3/4" | 1 | 22"x64" | • | | 32" | | | | F-SL-864 F-SL2P-815 | | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | |
| F862/F873 | YoutStyle™ | | 1-3/4" 2-1/4" | 1 | 22"x80" | • | | 32" | | | | F-SL-864 F-SL-877 | | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | |

DIMENSION MATRIX

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

| GRAIN | MODEL NUMBER | COLLECTION | DESIGN | DOOR THICKNESS | PANEL NUMBER | CUTOUT OPTIONS | SDL OPTIONS | WIDTH | HEIGHT | | | MATCHING SIDELITE | SIDELITE WIDTH | | | | TESTING | | | | |
|-------------|--------------|-----------------|------------------|------------------|--------------|----------------|-------------|-------|--------|----|------|-------------------|----------------|-----|-----|-----|---------|-------------|------|--|--|
| | | | | | | | | | 6-8" | 7' | 8' | | 10" | 12" | 14" | 16" | NAFS | ENERGY STAR | HVHZ | | |
| EDGE SMOOTH | E500/E501 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" | | | | E704 | | | | | | | | | |
| | | | | | | | | 34" | • | | | | | | | | | | | | |
| | | | | | | | | 36" | • | | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| | E528 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" | | | | E704 | | • | | • | | • | | | |
| | | | | | | | | 34" | • | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| | E536 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" | | | | E704 | | • | | • | | • | | | |
| | | | | | | | | 34" | • | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| | E550/E551 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" | | | | E707 | | • | | • | | • | | | |
| | | | | | | | | 34" | | | | | | | | | | | | | |
| | | | | | | | | 36" | | | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| | E552 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" | | | | E707 | | • | | • | | • | | | |
| | | | | | | | | 34" | | | | | | | | | | | | | |
| | | | | | | | | 36" | | | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| E553 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" | | | | E707 | | • | | • | | • | | | | |
| | | | | | | | 34" | | | | | | | | | | | | | | |
| | | | | | | | 36" | | | | | | | | | | | | | | |
| | | | | | | | 42" | | | | | | | | | | | | | | |
| E601/E607 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" | | | | E704 | | • | | • | | • | | | | |
| | | | | | | | 34" | • | | | | | | | | | | | | | |
| | | | | | | | 36" | • | | | | | | | | | | | | | |
| | | | | | | | 42" | • | | | | | | | | | | | | | |
| E608-E614 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | 32" | | | | E707 | | • | | • | | • | | | | |
| | | | | | | | 34" | | | | | | | | | | | | | | |
| | | | | | | | 36" | | | | | | | | | | | | | | |
| | | | | | | | 42" | | | | | | | | | | | | | | |
| E615 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | 32" | | | | E704 | | • | | • | | • | | | | |
| | | | | | | | 34" | • | | | | | | | | | | | | | |
| | | | | | | | 36" | • | | | | | | | | | | | | | |
| | | | | | | | 42" | • | | | | | | | | | | | | | |
| E665 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | 32" | | | | E707 | | • | | • | | • | | | | |
| | | | | | | | 34" | | | | | | | | | | | | | | |
| | | | | | | | 36" | | | | | | | | | | | | | | |
| | | | | | | | 42" | | | | | | | | | | | | | | |
| E700 | Contemporary | | | 1-3/4" | 2 | 22"x48" | • | 32" | • | • | | E702 | | • | | • | | • | | | |
| | | | | | | | | 34" | • | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| E701 | Contemporary | | | 1-3/4" | 3 | | | 32" | • | • | | | | | | | | | | | |
| | | | | | | | | 34" | • | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| E703 | Contemporary | | | 1-3/4" | Flush | | • | 32" | • | • | | E704 | | • | | • | | • | | | |
| | | | | | | | | 34" | • | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | | |
| | | | | | | | | 42" | • | • | | | | | | | | | | | |
| E705 | Contemporary | | | 1-3/4" 2-1/4" | Flush | | • | 32" | | | • | E707 | | • | | • | | • | | | |
| | | | | | | | | 34" | | | | | | | | | | | | | |
| | | | | | | | | 36" | | | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| E706 | Contemporary | | | 1-3/4" 2-1/4" | 2 | 22"x64" | • | 32" | | | • | E708 | | • | | • | | • | | | |
| | | | | | | | | 34" | | | | | | | | | | | | | |
| | | | | | | | | 36" | | | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| E721 | Craftsman | | | 1-3/4" | 3 | 23-3/4"x15" | • | 32" | • | • | | E737 | | | | • | | • | | | |
| | | | | | | | | 34" | • | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| E736 | Shaker | | | 1-3/4" | 2 | 22"x36" | • | 32" | | | | E737 | | | | • | | • | | | |
| | | | | | | | | 34" | • | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |
| E746 | Shaker | | | 1-3/4" 2-1/4" | 2 | 22"x48" | • | 32" | | | • | E747 | | | | • | | • | | | |
| | | | | | | | | 34" | | | | | | | | | | | | | |
| | | | | | | | | 36" | | | | | | | | | | | | | |
| | | | | | | | | 42" | | | | | | | | | | | | | |

DIMENSION MATRIX

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

| GRAIN | MODEL NUMBER | COLLECTION | DESIGN | DOOR THICKNESS | PANEL NUMBER | CUTOUT OPTIONS | SDL OPTIONS | WIDTH | HEIGHT | | | MATCHING SIDELITE | SIDELITE WIDTH | | | | TESTING | | | | | |
|-------------|--------------|--------------|----------|------------------|--------------|------------------------------------|-------------|--------------------------|------------------|------------------|------------------|-------------------|----------------|-----|-----|-----|---------|-------------|------|---|---|---|
| | | | | | | | | | 6-8" | 7' | 8' | | 10" | 12" | 14" | 16" | NAFS | ENERGY STAR | HVHZ | | | |
| EDGE SMOOTH | E800 | YourStyle™ | | 1-3/4" | 3 | 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | | E704 | | • | • | • | • | • | • | • | | |
| | E822/E833 | YourStyle™ | | 1-3/4" | 3 | 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | | | | | | | | | | • | | |
| | E900/E903 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | | • • • • | E707 | | • | • | • | • | • | • | • | • | |
| | E904 | Contemporary | Engraved | 1-3/4" | 2 | | | 32" 34" 36" 42" | • • • • | • • • • | | E704 E707 | | • | • | • | • | • | • | • | • | |
| | E905 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | E704 E707 | | • | • | • | • | • | • | • | • | |
| | E907/E908 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | E704 | | • | • | • | • | • | • | • | • | • |
| | E950/E953 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | E704 E707 | | • | • | • | • | • | • | • | • | • |
| | E954 | Contemporary | Engraved | 1-3/4" 2-1/4" | 2 | | | 32" 34" 36" 42" | | | • • • • | E704 E707 | | • | • | • | • | • | • | • | • | • |
| | E955 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | E704 E707 | | • | • | • | • | • | • | • | • | • |
| | E957/E958 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | | • • • • | E707 | | • | • | • | • | • | • | • | • | • |
| MAHOAGNY | M247 | Classic | | 1-3/4" | 6 | 22"x11" CT 22"x36" 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | | M-SL-36 | | • | • | • | • | • | • | • | • | |
| | M262 | Classic | | 1-3/4" | 3 | 14"x37" O 22"x48" CT 22"x48" | • | 32" 34" 36" 42" | • • • • | • • • • | | M-SL-48 | | • | • | • | • | • | • | • | • | • |
| OAK | O124 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | • | • | • | • | • | |
| | O125 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | • • • • | O498 | • | • | • | • | • | • | • | • | • | • | |
| | O292 | Classic | | 1-3/4" | 8 | 8"X42" RT | • | 32" 34" 36" 42" | • • • • | • • • • | | O-SL-48 | | • | • | • | • | • | • | • | • | |
| | O277 | Classic | | 1-3/4" | 6 | 22"x11" CT 22"x36" 22"x64" | • | 32" 34" 36" 42" | • • • • | • • • • | | O-SL-36 | | • | • | • | • | • | • | • | • | • |
| | O294 | Classic | | 1-3/4" | 3 | 22"x48" CT 14"x37" | • | 32" 34" 36" 42" | • • • • | • • • • | | O-SL-48 | | • | • | • | • | • | • | • | • | • |
| | O299 | Contemporary | | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | • | • | • | • | • | • |
| | O399 | Contemporary | | 1-3/4" 2-1/4" | Flush | | | 32" 34" 36" 42" | | • • • • | O498 | • | • | • | • | • | • | • | • | • | • | • |
| | O308/O309 | Classic | | 1-3/4" | 2 | 22"X64" 14"x37" O 22"x48" | • | 32" 34" 36" 42" | • • • • | • • • • | | O-SL-48 | | • | • | • | • | • | • | • | • | • |
| | O500/O551 | Contemporary | | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | • | • | • | • | • | • |
| | O528 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | • | • | • | • | • | • |
| | O536 | Contemporary | Engraved | 1-3/4" | Flush | | | 32" 34" 36" 42" | • • • • | • • • • | | O498 | • | • | • | • | • | • | • | • | • | • |

DIMENSION MATRIX

All door panels are available in 2-1/4" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

| GRAIN | MODEL NUMBER | COLLECTION | DESIGN | DOOR THICKNESS | PANEL NUMBER | CUTOUT OPTIONS | SDL OPTIONS | WIDTH | HEIGHT | | | MATCHING SIDELITE | SIDELITE WIDTH | | | | TESTING | | | |
|--------------|--------------|------------------|------------------|-----------------------|----------------------------------|----------------|-------------|-------|--------|----|----|-------------------|----------------|-----|-----|-----|---------|-------------|------|---|
| | | | | | | | | | 6-8" | 7' | 8' | | 10" | 12" | 14" | 16" | NAFS | ENERGY STAR | HVHZ | |
| OAK | O550/O551 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | 32" | | | • | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| | O552 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • |
| | | | | | | | | | 34" | | | • | | | | | | | | |
| | | | | | | | | | 36" | | | • | | | | | | | | |
| | | | | | | | | | 42" | | | • | | | | | | | | |
| | O553 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • |
| | | | | | | | | | 34" | | | • | | | | | | | | |
| | | | | | | | | | 36" | | | • | | | | | | | | |
| | | | | | | | | | 42" | | | • | | | | | | | | |
| | O601/O605 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | | 32" | • | • | | O498 | • | • | • | • | • | • | • |
| | | | | | | | | | 34" | • | • | | | | | | | | | |
| | | | | | | | | | 36" | • | • | | | | | | | | | |
| | | | | | | | | | 42" | • | • | | | | | | | | | |
| | O606 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | | 32" | • | • | | O498 | • | • | • | • | • | • | • |
| | | | | | | | | | 34" | • | • | | | | | | | | | |
| | | | | | | | | | 36" | • | • | | | | | | | | | |
| | | | | | | | | | 42" | • | • | | | | | | | | | |
| | O607 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | | 32" | • | • | | O498 | • | • | • | • | • | • | • |
| | | | | | | | | | 34" | • | • | | | | | | | | | |
| | | | | | | | | | 36" | • | • | | | | | | | | | |
| | | | | | | | | | 42" | • | • | | | | | | | | | |
| O608/O612 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| O613 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| O614 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| O615 | Contemporary | Stainless Inlay | 1-3/4" | Flush | | | | 32" | • | | | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | | | | | | | | | | | |
| | | | | | | | | 42" | • | | | | | | | | | | | |
| O665 | Contemporary | Stainless Inlay | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| O900/O903 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | | | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | | | | | | | | | | | |
| | | | | | | | | 42" | • | | | | | | | | | | | |
| O905 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | | | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | | | | | | | | | | | |
| | | | | | | | | 42" | • | | | | | | | | | | | |
| O906 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | | | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | | | | | | | | | | | |
| | | | | | | | | 36" | • | | | | | | | | | | | |
| | | | | | | | | 42" | • | | | | | | | | | | | |
| O907/O908 | Contemporary | Engraved | 1-3/4" | Flush | | | | 32" | • | • | | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | |
| | | | | | | | | 42" | • | • | | | | | | | | | | |
| O950/O953 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| O955 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| O956 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| O957/O958 | Contemporary | Engraved | 1-3/4" 2-1/4" | Flush | | | | 32" | | | • | O498 | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |
| KNOTTY ALDER | KA159/KA160 | Rustic | 1-3/4" | 2 | 22"x36" CT 22"x36" 22"x64" | | • | 32" | • | • | | KA-SLR | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | • | • | | | | | | | | | | |
| | | | | | | | | 36" | • | • | | | | | | | | | | |
| | | | | | | | | 42" | • | • | | | | | | | | | | |
| KA165/KA166 | Rustic | 1-3/4" 2-1/4" | 2 | 22"x48" CT 22"x48" | | | • | 32" | | | • | KA-SLR | • | • | • | • | • | • | • | |
| | | | | | | | | 34" | | | • | | | | | | | | | |
| | | | | | | | | 36" | | | • | | | | | | | | | |
| | | | | | | | | 42" | | | • | | | | | | | | | |



Limited Lifetime Warranty.

Visit www.mastergrain.com for details.



MASTERGRAIN Manufacturing

16567 ON-12, Midland, ON L4R 4L1

MASTERGRAIN Door Gallery

6260-13 Hwy 7, Woodbridge, ON L4H 4G3

MASTERGRAIN Billing

16566 ON-12, Midland, ON, L4R 4L1

Toll Free 1 (800) 782-0559

Contact Us



CERTIFIED

MASTERGRAIN™ reserves the right to make changes to product design, finishes and technology. Doors depicted in this brochure may not be exactly as shown.

01-2025