


BEAUTY IS SKIN DEEP

Redefine Your Door

In 2008 Weber Manufacturing Technologies Inc., a Midland, Ontario, Canada-based tooling company, set out to leverage their proprietary Nickel Vapor Deposition (NVD) technology to completely revolutionize how fiberglass entry doors are made. NVD technology provides a unique way to capture fine, surface grain and sub-texture details, found on wood, leather and other materials.

Weber developed a complete offering of fiberglass door designs and fiberglass cladded components. The products were branded MASTERGRAIN[™] and the company began selling doors across North America. To create a MASTERGRAIN woodgrain door system using NVD technology, a silicone cast of a real wood door is formed and put into a deposition chamber to produce a nickel shell. The nickel shell is used to mold the fiberglass skins that are used on all door slabs and components. Other technologies can replicate woodgrain for fiberglass door production, but none can compare to the intricate, realistic and beautiful detail of a MASTERGRAIN door.

Today, Weber also uses NVD technology to create tooling and finished products for some of the world's most luxurious automotive, aerospace and building products brands.





DOORS THAT PERFORM AS BEAUTIFULLY AS THEY LOOK



MASTERGRAIN[™] products can replicate, with fine detail, woodgrain and texture right down to the knots and swirls that give a wood door its unique character and charm. Components come together seamlessly to create luxurious, durable, high-quality doors that distinguish a home's exterior from a distance and completely adorn its interior. Beyond its striking appearance, you will find a MASTERGRAIN door has a robust build quality that delivers energy and performance criteria that is best-in-class in the door industry.

The difference is found in the design and engineering, in the quality of the materials used and finally in the state-of-the-art manufacturing process. MASTERGRAIN is the only door brand in the industry to offer fiberglass cladded components to improve both appearance and performance. Door skins are made thicker than industry standard to provide more strength to better resist dents, dings and scratches. In addition, composite materials are used for many of the door slab and frame components to eliminate twisting, warping, mold and rot.

The high-density polyurethane foam core provides best-in-class insulation and is chlorofluorocarbons (CFC) free. There is more to a MASTERGRAIN door than meets the eye, although what meets the eye is extremely beautiful. Explore this product catalog to find out which MASTERGRAIN door is right for you.

CONTENTS

A True Entry Door Solution	05	Edge Smooth Contemporary	33-35
Built to Last	06	Edge Smooth YourStyle™	36-37
Molded Fiberglass Door Lite Frames & SDL	07	Edge Smooth Shaker	38-39
Composite Components	08	Edge Smooth Craftsman	41
Pultruded Fiberglass Astragals	09	Edge Smooth Contemporary Stainless Inlay	42
Transom Sill, Mull Casing & Glass Stop	09	Edge Smooth Contemporary Engraved	43
Cherry Contemporary Engraved	13	Mahogany Classic	47-49
Cherry Contemporary Stainless Inlay	15	Oak Classic	53-57
Cherry Classic	17-21	Oak Contemporary Engraved	59
Cherry Rustic	22-23	Oak Contemporary Stainless Inlay	61
Fir YourStyle™	26-27	Knotty Alder Rustic	64-65
Fir Craftsman	29	Dimension Matrix	66-75



A TRUE ENTRY DOOR SOLUTION

What sets MASTERGRAIN™ apart? It's the commitment to quality and investment in world-class manufacturing technologies. Every MASTERGRAIN woodgrain fiberglass door is built with fiberglass cladded components in order to deliver a finish that is seamless, strong and completely stainable. The result is a versatile door that flawlessly replicates the look, texture and aesthetic of real wood.

Molded Fiberglass Door Lite Frame

A patented clip assembly system is employed to eliminate the need for unsightly screws and plugs. It creates a unique look that is completely seamless.

Polyurethane Foam Core

High-density, CFC-free polyurethane foam is injected into the slab core to offer superior insulation, energy efficiency, sound-dampening and resistance to dents.

3 Composite Rails

1

2

Rot-resistant composite (wood fibers and plastic film) are used for both the top and bottom rails. This material is resilient and more stable than wood or other materials.

4 Simulated Divided Lites (SDLs)

Made with molded fiberglass to provide countless customization options, SDLs can be used in any design configuration as well as stained to match door panels and other components.

5 Sidelite Composite Glass Stop

Matching composite glass stops, made with or without woodgrain, are installed on the inside of the door lite frame to hold glass securely in place, deliver improved performance and durability and make removal/replacement easier.

6 Engineered Wood Stiles

The door stiles on the interior of the fiberglass slab are wider than industry standard and are uniform on both sides of the door. This unlocks more hardware opportunities and provides homeowners with a robust and kick-proof panel. The hardwood cap on the outside of the stile delivers a square edge that can be stained to match the fiberglass skins. This delivers the look of a premium door.

7 Composite Reinforced Mull Post

Composite core components with aluminum reinforcement routed into door headers offer increased security and strength. Plus, fiberglass cladding adds ability to stain and match all door components.

Composite Jambs with Woodgrain Fiberglass Cladding All jambs are made using composite material. Woodgrain fiberglass cladded jambs are offered to attain a completely seamless look as they can be stained.

9

Brickmold with Woodgrain Fiberglass Cladding

Available in a variety of sizes and finishes, this fiberglasscladded brickmold is used as an aesthetic casing. It will not rot, split or warp and is completely stainable for a beautiful and seamless aesthetic.

10 Door Skins

Nickel Vapor Deposition (NVD) technology, a process exclusive to MASTERGRAIN, is used to mold the world's most realistic fiberglass door skins of various woodgrains and thickness.

BUILT TO LAST

Every MASTERGRAIN[™] door is engineered and built in North America by skilled technicians to ensure the highest guality. Unlike other doors, the manufacturing processes and technologies which MASTERGRAIN employs, eliminate the need to compromise between strength and lasting beauty.

MASTERGRAIN fiberglass doors:

- Do NOT warp, rot or crack like wood doors and requires less maintenance
- Do NOT rust or dent like steel doors
- Have seamless grain and stain matching across fiberglass components
- Are engineered for the extreme hot and cold temperatures of North America

STRENGTH

A pair of robust $4-\frac{1}{16}$ " stiles run down each side of the door slab. The stiles are made of $3-\frac{7}{16}$ " engineered wood and a 5%" hardwood cap.

HIGH DEFINITION

To produce the most realistic woodgrain fiberglass doors, it starts with a high-quality real-wood door. Using our exclusive NVD technology we replicate the organic grain from the door onto a nickel tool. The tool is used to press a fiberalass skin with a minimum thickness of 0.090". To accommodate metal inlays and routed designs we press a 0.175" thick skin.

PERFORMANCE

All of our doors are insulated with high density, CFC free, polyurethane foam. Our formula improves energy efficiency and sound abatement.

CONSTRUCTION


Doors are constructed using rot resistant composite top and bottom rails.

IMPACT TESTED PRODUCTS ARE FOUND UNDER THE FOLLOWING APPROVAL NUMBERS					
Non-Impact	Impact HVHZ				
#FL13320	#FL21852	#FL21852.19* #FL21852.49*			



Visit www.floridabuilding.org/pr/pr_app_srch.aspx for details. *Tested with opaque 3'-6" x 8' outswing. MASTERGRAIN doors are NAFS and ENERGY STAR® Canada Certified.

Visit https://oee.nrcan.gc.ca/pml-Imp/index.cfm to view ENERGY STAR Canada certified products



4-1⁄16" thick full length engineered wood stiles with hardwood edge cap on both sides



embossment deep definition

Smooth fiberglass skin with brush stroke finish Skin thickness is 0.090" (certain styles available in 0.175" for engraving &

Kerf notched bottom wood-plastic composite (WPC) rail

MOLDED FIBERGLASS **DOOR LITE FRAMES &** SIMULATED DIVIDED LITES


MASTERGRAIN[™] molds their own patented woodgrain and smooth fiberglass door lite frames that use a clip assembly system that eliminates the need for unsightly screws and plugs to deliver a unique uninterrupted look. MASTERGRAIN also offers molded fiberglass simulated divided lites (SDL).

- Fiberglass frames are more rigid than plastic frames.
- Molded door lite frames ensure a tight weather seal to the door and minimizes distortion.
- Plugless frame system eliminates all unsightly screw holes and plugs for a clean aesthetic.
- Traditional plugged door lite system uses screws and plugs to deliver certified performance for impact, air and water.
- Molded fiberglass SDL bars provide an energy-efficient way to create a number of design configurations for a completely custom look.
- Door glass frames and SDLs can be stained to match door panels and all other MASTERGRAIN door components for a seamless beautiful aesthetic.





SURROUND OPTIONS



FLUSH - EDGE SMOOTH

Available grain/texture: Edge Smooth

Low profile

Edge Smooth

Available grain/texture:

Flush fit with optional integrated one-piece dentil shelf for the Craftsman Collection


6 MASTERGRAIN™







SDLs come pre-taped and notched to create a beautiful lap-joint







FLUSH - FIR Available grain/texture: FIR

Flush fit with optional integrated one-piece dentil shelf for the Craftsman Collection



TRADITIONAL

Available grain/texture: Cherry, Mahogany, Oak and Knotty Alder


Raised profile

COMPOSITE FIBERGLASS CLADDED COMPONENTS

The only NVD fiberglass cladded component frames available in the industry.

	- And The sea		
Knotty Alder	Mahogany /Cherry	Fir	Oak

COMPOSITE JAMB



COMPOSITE BRICKMOLD



COMPOSITE MULL POST




- Versatile lengths and widths
- 2X screw holding power due to rigid composite formulation and closed cellular structure
- Rot and moisture resistant
- Stronger than wood door frames
- Low maintenance
- Insect and rodent resistant




COMPOSITE-CLADDED BRICKMOLDS					
Knotty Alder / Mahogany/ Oak Cherry Fir					
2"	\checkmark	~	×		
3-¾" × ✓ ✓					

Size and availability depending on grain/mode





2" Standard Profile 3-¾" Fir Profile



PULTRUDED FIBERGLASS CLADDED ASTRAGALS



TRANSOM SILL, MULL CASING & GLASS STOP


COMPOSITE TRANSOM SILL WITH GRAIN (NON-CLADDED)



COMPOSITE GLASS STOPS (NON-CLADDED)



8 MASTERGRAIN™



Orientation	Size	Cherry / Mahogany	Fir	Oak	Knotty Alder
Left Hand	6'-8"	\checkmark	\checkmark	\checkmark	\checkmark
Right Hand	6'-8"	\checkmark	\checkmark	\checkmark	\checkmark
Left Hand	7'	\checkmark	\checkmark	\checkmark	\checkmark
Right Hand	7'	\checkmark	\checkmark	\checkmark	\checkmark
Left Hand	8'	\checkmark	\checkmark	\checkmark	\checkmark
Right Hand	8'	\checkmark	\checkmark	\checkmark	\checkmark

Size	Part #	Finish
5−%" x 120"	TSCOM4120	Grained
7−%" x 120"	TSCOM6120	Grained
5−%" X 168"	TSCOM4168P	Smooth Primed
7−5⁄8'' X 168''	TSCOM6168P	Smooth Primed


5-5%"

7-5⁄8"


	Size	Part #	Finish
	¾" x ½" x 144"	GS-COMG	Grained
	¾" x ½" x 144"	GS-COM	Smooth Raw
1	.354" x .553" x 99"	GSCOM99	Grained

CHERRY





CHERRY



CONTEMPORARY ENGRAVED

*Not engineering drawings. For reference only.



CHERRY











Inlay stops before door edge for air and water protection. Inlays available in gold, black or stainless. Black mirrored inlay available for C615 / C665 only.

Custom design options are available. Subject to engineering review.						
SIZING						
leights	6'-8"	7'	8'			
Vidths	34"	36"	42"			
idelites Vidths	12"	14"	16"			

10" flush panel sidelites available. See C498 on page 13.

3

CONTEMPORARY STAINLESS INLAY










*Not offered in 7' height. **Not offered in custom sizes


36" x 8' and 42" x 8' available in 2-¼" slab thickness.

C607 / C614 ** 2



*Not engineering drawings. For reference only.











3x3







Embossment



Traditional Surround







C215*

Round Top 8"x42" Glass









2x4

_ 1						
_		115			841	
		1153				
		1214	· · · ·		1.5	
		8 1.1				
_		2015				
		1.45				
		N				
		團務				
-		0.000				
		1997 - B			194	
		₩C.	-	-		
		0.01			r.	
		2x	5			



Prairie

1x2 8"x48" 1x3 Glass Grid

SIZING		
Heights	6'-8"	7'
Widths	32"	34"
Sidelites Widths	12"	14"

10" flush panel sidelites available. See C498 on page 13.

						-	
6"x64" * Glass	8"x64" Glass	1x2 Grid	1x3	1x4	1x5	2x2	Prairie

2x3

*8-panel doors only available in 34" and 36" widths. 10" sidelites are only available in flush for USA distribution.

SIZING

C-SL-36





Prairie

2H

Embossment

Traditional Surround











C-SL-48







36"

16"

18 MASTERGRAIN™

CLASSIC











3x4



2x4



3x4



Prairie



Camber Top





2x2




Embossment




Traditional Surround







2–¼" slab thickness available for 36" x 8' and 42" x 8' doors, without glass.



10" flush panel sidelites available. See C498 on page 13.



Traditional Surround





C219 5 Planks





C217



 $2-\frac{1}{4}$ " slab thickness available for 42" x 8' doors, without glass.

SIZING 8' Heights 42" Widths Sidelites Widths 12" 14" 16"

10" flush panel sidelites available. See C498 on page 13.

20

CLASSIC







2x4







3x4





Embossment



Traditional Surround









C100

C101 5 Planks Oval 14"x37" Glass


















SIZING He

C-SLR-48

Heights	6'-8"	7'					
Widths	32"	34"	36"				
Sidelites Widths	12"	14"	16"				
10" flush panel sidelites available.							

See C498 on page 13.







Traditional Surround





Camber Top





Camber Top 22"x64" Glass

C-SLR-64

2x2 Grid



SIZING 8' Heights 32" 34" 36" Widths Sidelites Widths 12" 14" 16"

10" flush panel sidelites available. See C498 on page 13.

22

RUSTIC





1x4

2x4

2x5





3x5



Camber Top







Traditional Surround

FIR



FIR









F826 / F866





F831 / F871

F833 / F873

F832 / F872



F823 / F863

F829 / F869

F824 / F864







F835/ F875







F800-2264 / F801-2280





F826-2264 / F866-2280


F827-2264 / F867-2280





SDL bars available in 3-1/2" and 5-1/8" widths.

SIZING Heights



SDL bars available in 3-½" and 5-¼" widths.

SIZING



6'-8"	7'	8'
34"	36"	



Simulated Divided Lites











F825 / F865











YourStyle™



F823-2264 / F863-2280



F828-2264 / F868-2280



F824-2264 / F864-2280



F829-2264 / F869-2280



F825-2264 / F865-2280



F830-2264 / F870-2280



Glass



8"x64" / 8"x77" F-SL-1P / F-SL-1P





Flush Surround



F833-2264 / F873-2280



CRAFTSMAN





2x2 Grid



3x1

8"x64" / 8"x77" Glass



Prairie 2H





Craftsman





Optional integrated dentil shelf



Flush Surround









Heights	6'-8"		7'	
Widths	32"	34"	36"	32"
Sidelites Widths	12"	14"	16"	


CONTEMPORARY







Contemporary Surround




SIZING Heights

Widt


Widths	32"	34"	36"
Sidelites Widths	12"	14"	

6'-8" 7'

8'









2x3 28"x80"

SIZING Heights Widths

6'-8"	7'	8'
32"	34" 36	" 42"

34 MASTERGRAIN™

CONTEMPORARY





2x4



2x4 28"x80"



2x5



2x5 28"x80"




3x5



3x5 28"x80"




Contemporary Surround







E764




E766





22"x 64" Glass

E824-2264



SDL bars available in 3-1⁄2" and 5-1⁄8" widths. *Available in Canada only

6'-8" 7' 34" 36" Widths


SIZING Heights

SDL bars available in 3-1/2" and 5-1/8" widths. *Available in Canada only

SIZING

Widths

Heights






8' only available with contemporary surround

E767

E705




E768








E765





E800-2264

36 MASTERGRAIN™

YourStyle™











E825

E826

E827

E828

E829



E825-2264



E826-2264



E827-2264







E829-2264




E830-2264*



E831-2264*




E832-2264





6'-8" and 7' available with flush surround



SHAKER





2x3

3x3





2x3



Glass Grid






3x4



Flush Surround









SIZING Heights

Widths

6'-8" 7' 34" 36"

REDEFINE YOUR DOOR

CRAFTSMAN



2x2



3x2



Optional integrated dentil shelf



Flush Surround

STAINLESS INLAY

EDGE SMOOTH




E605 / E612 *

1







Inlay stops before door edge for air and

Inlays available in gold, black or stainless.

Black mirrored inlay available for C615 /

water protection.

C665 only.







3

1

E615 / E665 *


*No custom sizes available


E607 / E614

*Not offered in 7' height. **Not offered in custom sizes


36" x 8' and 42" x 8' available in 2-1/4" slab thickness.

2





Custom design options are available. Subject to engineering review.



See E704/E707 on page 43.

42

ENGRAVED

MAHOGANY





MAHOGANY



M262




Oval 14"x37" Glass





Camber Top 22"x48" Glass

Camber Top 2x2 Grid



SIZING 6'-8" 7' Heights 32" 34" 36" Widths Sidelites Widths 16" 12" 14"

REDEFINE YOUR DOOR

M-SL-48

CLASSIC





Camber Top 2x4



Camber Top 3x4



Camber Top





Embossment



Traditional Surround

MAHOGANY







Prairie

M262 22"x48" Glass





2x3





2x3 2x4 2x5







Camber Top 2x2







1x2 Grid 1x3

36"

16"

SIZING



SIZING				
Heights	6'-8"	7'		
Widths	32"	34"	36"	
Sidelites Widths	12"	14"	16"	

2x2 Grid




Traditional Surround





SIZING 6'-8" 7' Heights 32" 34" Widths Sidelites Widths 12" 14"









3x3



Embossment



Traditional Surround

OAK









Round Top 8"x42" Glass





22"x64" Glass

8"x64" 1x2 Glass Grid 1x3 1x4

SIZING	
Heights	6'-8" 7'
Widths	34" 36"
Sidelites Widths	12" 14" 16"

REDEFINE YOUR DOOR

O-SL-48

CLASSIC





2x3



2x5



3x5



Prairie









Embossment



Traditional Surround



22"x36" Glass









2x3

2	1			1
		\vdash	+	
	$h_{\rm c}$			
	1			
	10			

3x3

2x4





8"x36" 1x2 1x3 Glass Grid


SIZING





Embossment









O309 5 Planks

Oval 14"x37" Glass





22"x48" Glass

2x3

8"x48" 1x2 Glass Grid 1x3 1x4

SIZING Heights Widths Sidelites Widths

O-SL-48

6'-8"	7'	
32"	34"	36"
12"	14"	16"

54 MASTERGRAIN™

CLASSIC







2x4



3x4



Prairie






Embossment



Traditional Surround



CLASSIC









2x2 Grid

2x4



Camber Top 2x3

3x4



Camber Top 2x4



Prairie



Camber Top 3x4



Camber Top







Prairie



Embossment



Traditional Surround













KNOTTY ALDER



KNOTTY ALDER





KA159 / KA165



Camber Top 22"x36" / 22"x48" Glass



22"x36" / 22"x48" Glass



2x3





Camber Top 2x4





2x4 / 2x4



C8-KA-SLR Available in 8' height

SIZING Heights Widths Sidelites Widths






KA159 22"x64" Glass 2x3







SIZING 6'-8" 7' 8' Heights 36" 32" 34" Widths Sidelites Widths 12" 14" 16"

2x2 Grid



Embossment

Traditional Surround

64 MASTERGRAIN™

RUSTIC












Prairie









Embossment



Traditional Surround

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS	WIDTH		HEIGHT		MATCHING			E WIDTH			TESTING	
								32"	6-8" •	7'	8'	SIDELITE	10"	12"	14"	16"	NAFS	ENERGY STAR	HVHZ
	C100/C101	Rustic		1-3/4"	2	14"x37" O 22"x48" CT	•	34" 36" 42"	•	•		C-SLR-48		•	•	•	•	•	•
	C144/C145	Rustic		1-3/4" 2-1/4"	2	22"x64"	•	32" 34" 36" 42"			• • •	C-SLR-64		•		•		•	• • • •
	C200	Classic		1-3/4"	6	22"x11" CT 22"x36" 22"x64"	•	32" 34" 36" 42"	• • •	• • •		C-SL-36		•	•	•	•	•	• • • •
	C215	Classic		1-3/4"	8	8"x42" RT 22"x64"		32" 34" 36" 42"	• • •	• • • •		C-SL-48		•	•	•	•	•	• • • •
	C217/C218/C219	Classic		1-3/4" 2-1/4"	2	22"x48" 22"x64"	•	32" 34" 36" 42"			•	C8-SL-48		•		•	•		• • • • • • •
	C220	Classic		1-3/4"	3	22"x48" CT 22"x48" 14"x37" O	•	32" 34" 36" 42"	• • •	• • • •		C-SL-48		•		•			• • • • • •
	C233/C234	Classic		1-3/4"	2	14"x37" O 22"x48"	•	32" 34" 36" 42"	•	• • • •		C-SL-48		•	•	•	•	•	• • • •
	C250	Classic		1-3/4" 2-1/4"	2	22"x64"	•	32" 34" 36" 42"			• • •	C8-SL-64		•	•	•	•	•	•
≻	C499/C599	Contemporary	Flush	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"	• • •	• • • • •	• • •	C498	•	•	•	•	•	•	• • • •
CHERRY	C500/C528 C501/C536	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • • •			C498	•	•	•	•	•	•	• • • • •
ΰ	C550/C552 C515/C553	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • •	• • • • • •	C498	•	•	•	•	•	•	•
	C601/C606	Contemporary	Stainless Inlay	1-3/4"	Flush			32" 34" 36" 42"	•			C498	•	•	•	•	•	•	•
	C607	Contemporary	Stainless Inlay	1-3/4"	Flush			32" 34" 36" 42"	•			C498	•	•	•	•	•	•	•
	C608/C613	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"			•	C498	•	•	•	•	•	•	• • • •
	C614	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"			•	C498	•	•	•	•	•	•	•
	C615	Contemporary	Stainless Inlay	1-3/4"	Flush			32" 34" 36" 42"	• • •			C498	•	•	•	•	•	•	• • • •
	C665	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"			•	C498	•	•	•	•	•	•	•
	C900	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • • •			C498	•	•	•	•	•	•	•
	C901	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • •			C498	•	•	•	•	•	•	• • •

										HEIGHT		MATCHING		SIDELIT	E WIDTH			TESTING
GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS	WIDTH	6-8"	7'	8'	SIDELITE	10"	12"	14"	16"	NAFS	ENERGY STAR HVHZ
	C902	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • • •			C498	•	•	•			· ·
	C903	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • •			C498	•	•	•	•	•	• • • • • • • • • • • • • • • • • • •
	C905	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • • •			C498	•	•	•	•	•	• • • • • • • • • • • • • • • • • • •
	C906	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • •			C498	•	•	•		•	· ·
	C907	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • • • • • • • • • • • • • • • • • •	• • • • • •		C498	•	•	•		•	· ·
	C957	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • •	• • • • •	C498	•	•	•	•	•	· ·
CHERRY	C908	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • • • •	• • • • • • •		C498	•	•	•	•	•	· ·
CHE	C958	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • • • • • • • • • • • • • • • • • •	• • • •	C498	•	•	•	•	•	· ·
	C950	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • • • • • • • • • • • • • • • • • •	• • • • •	C498	•	•	•	•	•	· ·
	C951	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • • • • •	• • • • •	C498	•	•	•		•	· ·
	C952	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • •	• • • •	C498	•				•	· ·
	C953	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • •	• • • •	C498	•	•	•		•	· ·
	C955	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • • •	• • • • •	C498	•		•		•	· ·
	C956	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • • • • •	• • • • •	C498	•		•		•	· ·
	F300	Craftsman		1-3/4"	3	23-3/4"x15"	•	32" 34" 36" 42"	•	•		F-SL-864 F-SL2P-815			•		•	· ·
	F350	Craftsman		1-3/4" 2-1/4"	3	23-3/4"x19-1/4"	•	32" 34" 36" 42"			•	F-SL-864 F-SL-877		•	•	•	•	· ·
FIR	F801	YoutStyle™		1-3/4" 2-1/4"	1	22"x80"	•	32" 34" 36" 42"			•	F-SL2P-81925 F SL-877		•	•	•	•	• • • • • • • • • • • • • • • • • • •
	F822/F833	YoutStyle™		1-3/4"	1	22"x64"	•	32" 34" 36" 42"	•	•		F-SL-864 F-SL2P-815		•	•	•	•	• • • • • • • • • • • • • • • • • • •
	F862/F873	YoutStyle™		1-3/4" 2-1/4"	1	22"x80"	•	32" 34" 36" 42"			•	F-SL-864 F-SL-877		•	•	•	•	• • • • • • • • • • • • • • • • • • •

										HEIGHT		MATCHING		SIDELIT	E WIDTH			TESTING	
GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS	WIDTH	6-8"	7'	8'	SIDELITE	10"	12"	14"	16"	NAFS	ENERGY STAR	нүнг
	E500/E501	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	•			E704		•	•	•	•	•	•
	E528	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	•	•		E704		•	•	•	•	•	• • • •
	E536	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	•	•		E704		•	•	•	•	•	•
	E550/E551	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"	Image: Constraint of the second sec	• • •	•	E707		•	•	•	•	•	•
	E552	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • •	•	E707		•	•	•	•	•	•
	E553	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"	Image: state	• • • •	•	E707		•	•	•	•	•	•
	E601/E607	Contemporary	Stainless Inlay	1-3/4"	Flush			32" 34" 36" 42"	•			E704		•	•	•	•	•	•
TH	E608-E614	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"	 		•	E707		•	•	•	•	•	•
400 100	E615	Contemporary	Stainless Inlay	1-3/4"	Flush			32" 34" 36" 42"	•			E704		•	•	•	•	•	•
EDGE SMOOTH	E665	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"			•	E707		•	•	•	•	•	•
EDG	E700	Contemporary		1-3/4"	2	22"x48"	•	32" 34" 36" 42"	• • •	• • •		E702		•	•		•	•	• • •
	E701	Contemporary		1-3/4"	з			32" 34" 36" 42"	• • • •	• • •		-					•	•	• • •
	E703	Contemporary		1-3/4"	Flush		•	32" 34" 36" 42"	• • • • •	• • •		E704		•	•	•	•	•	•
	E705	Contemporary		1-3/4" 2-1/4"	Flush		•	32" 34" 36" 42"	Image: Constraint of the second sec		• • • • •	E707		•	•	•	•	•	• • •
	E706	Contemporary		1-3/4" 2-1/4"	2	22"x64"	•	32" 34" 36" 42"			• • •	E708		•	•	•	•	•	•
	E721	Craftsman		1-3/4"	3	23-3/4"x15"	•	32" 34" 36" 42"	•	•		E737			•	•	•	•	•
	E736	Shaker		1-3/4"	2	22"x36"	•	32" 34" 36" 42"	•	•		E737			•	•	•	•	•
	E746	Shaker		1-3/4" 2-1/4"	2	22"x48"	•	32" 34" 36" 42"			•	E747			•	•	•	•	•

CDAIN			DESIGN		PANEL NUMBER			WIDTH		HEIGHT		MATCHING		SIDELITE	E WIDTH			TESTING	
GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS		CUTOUT OPTIONS	SDL OPTIONS	WIDTH	6-8"	7'	8'	SIDELITE	10"	12"	14"	16"	NAFS	ENERGY STAR	HVHZ
	E800	YourStyle™		1-3/4"	3	22"x64"	•	32" 34" 36" 42"	•	•		E704		•	•	•	•	•	•
	E822/E833	YourStyle™		1-3/4"	3	22"x64"	•	32" 34" 36" 42"	•	•									•
	E900/E903	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		•	•	E707		•	•	•	•	•	•
H	E904	Contemporary	Engraved	1-3/4"	2			32" 34" 36" 42"	•	•		E704 E707		•	•	•	•	•	• • • •
SMOOTH	E905	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	•			E704 E707		•	•	•	•		•
E SN	E907/E908	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	•			E704		•	•	•	•		•
EDGE	E950/E953	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	•	•		E704 E707		•	•	•	•	•	•
	E954	Contemporary	Engraved	1-3/4" 2-1/4"	2			32" 34" 36" 42"		•	•	E704 E707		•	•	•	•	•	•
	E955	Contemporary	Engraved	1-3/4"	Flush			42 32" 34" 36" 42"	•			E704 E707		•	•	•	•	•	•
	E957/E958	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		•	•	E707		•	•	•	•	•	•
BANY	M247	Classic		1-3/4"	6	22"x11" CT 22"x36" 22"x64"	•	42 32" 34" 36" 42"	• • •	•		M-SL-36		•	•	•	•	•	•
МАНОБАNY	M262	Classic		1-3/4"	3	14"x37" O 22"x48" CT 22"x48"	•	32" 34" 36" 42"	• • •	• • •		M-SL-48		•	•	•	•	•	•
	O124	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • •	• • • •		O498	•	•	•	•	•	•	• • •
	O125	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"			• • •	O498	•	•	•	•	•	•	•
	O292	Classic		1-3/4"	8	8"X42" RT	•	32" 34" 36" 42"	•	•		O-SL-48		•	•	•	•	•	•
	O277	Classic		1-3/4"	6	22"x11" CT 22"x36" 22"x64"	•	32" 34" 36" 42"	• • •	•		O-SL-36		•	•	•	•		•
	O294	Classic		1-3/4"	3	22"x48" CT 14"x37"	•	32" 34" 36" 42"	• • •	• • •		O-SL-48		•	•	•	•	•	•
OAK	0299	Contemporary		1-3/4"	Flush			32" 34" 36"	• • • • •	• • • •		O498	•	•	•	•	•	•	•
	O399	Contemporary		1-3/4" 2-1/4"	Flush			42" 32" 34" 36" 42"			• • • •	O498	•	•	•	•	•	•	•
	0308/0309	Classic		1-3/4"	2	22"X64" 14"x37" O 22"x48"	•	32" 34" 36" 42"	• • •	• • •		O-SL-48		•	•	•	•	•	• • •
	0500/0551	Contemporary		1-3/4"	Flush			32" 34" 36" 42"	• • • •			O498	•	•	•	•	•	•	• • •
	O528	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • •			O498	•	•	•	•	•	•	• • •
	O536	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • •			O498	•	•	•	•	•	•	• • •

GRAIN	MODEL NUMBER	COLLECTION	DESIGN		PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS	WIDTH		HEIGHT		MATCHING		SIDELIT	E WIDTH			TESTING	
GRAIN		COLLECTION	DESIGN	DOOK THICKNESS		COTOUT OPTIONS	SDE OPTIONS	32"	6-8"	7' •	8'	SIDELITE	10"	12"	14"	16"	NAFS	ENERGY STAR	HVHZ
KNOTTY ALDER ALDER	O550/O551	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			34" 36" 42"		•	•	0498	•	•		•	•		•
	O552	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • •	• • • • •	- O498	•	•	•	•	•	•	• • •
	O553	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • • •	• • •	- O498	•	•	•	•	•	•	•
	O601/O605	Contemporary	Stainless Inlay	1-3/4"	Flush			32" 34" 36" 42"	• • • • •	• • •		- O498	•	•	•	•	•	•	• • • •
	O606	Contemporary	Stainless Inlay	1-3/4"	Flush			32" 34" 36" 42"	•	•		- O498	•	•	•	•	•	•	• • •
	O607	Contemporary	Stainless Inlay	1-3/4"	Flush			32" 34" 36" 42"	•			- O498	•	•	•	•	•	•	• • •
	O608/O612	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"			•	O498	•	•	•	•	•	•	• • •
	O613	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"			•	O498	•	•			•		• • • • •
	O614	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"			•	O498					•		• • • • •
	O615	Contemporary	Stainless Inlay	1-3/4"	Flush			32" 34" 36" 42"	•			- O498	•	•	•	•	•	•	• • •
	O665	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"			•	- O498	•	•	•	•	•	•	• • •
	0900/0903	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • •			- O498	•				•		• • •
	O905	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • •			O498	•	•	•	•	•		• • • • •
	O906	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	•			- O498	•	•	•	•	•	•	• • •
	0907/0908	Contemporary	Engraved	1-3/4"	Flush			32" 34" 36" 42"	• • • •	• • • •		- O498	•	•	•	•	•	•	• • •
	0950/0953	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • • •	• • • • •	- O498	•	•	•	•	•	•	• • •
	O955	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • • •	• • • •	O498	•	•	•	•	•	•	• • • •
	O956	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • • •	•	O498	•	•	•	•	•	•	• • • •
	0957/0958	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32" 34" 36" 42"		• • • •	• • • •	O498	•	•	•	•	•		• • • • •
	KA159/KA160	Rustic		1-3/4"	2	22"x36" CT 22"x36" 22"x64"	•	32" 34" 36" 42"	• • •	• • •		KA-SLR		•	•	•	•	•	• • •
	KA165/KA166	Rustic		1-3/4" 2-1/4"	2	22"x48" CT 22"x48"	•	32" 34" 36" 42"			• • •	KA-SLR		•	•	•	•		• • • • •

MG_{M}



Limited Lifetime Warranty. Visit www.mastergrain.com for details.



MASTERGRAIN Manufacturing 16567 ON-12, Midland, ON L4R 4L1

MASTERGRAIN Door Gallery 6260-13 Hwy 7, Woodbridge, ON L4H 4G3

MASTERGRAIN Billing 16566 ON-12, Midland, ON, L4R 4L1

Toll Free 1 (800) 782-0559

Contact Us









