

MASTERGRAIN™

REDEFINE YOUR DOOR



INDEX

MASTERGRAIN™ History	4
Fiberglass vs. Wood	6
MASTERGRAIN Fiberglass Technology	8
The Anatomy of a MASTERGRAIN Door	10
Fiberglass Molded Door Lite Frames	12
Fiberglass Molded Simulated Divided Lites	14
Fiberglass Clad Composite Components	16
Customization Capabilities	18
Performance Testing	20
Contemporary Engraved	22
Contemporary Stainless Inlay	24
Traditional Classic	26
Traditional Rustic	40
YourStyle™	48
Shaker Edge Smooth	58
Craftsman	62
Contemporary Edge Smooth	66



MASTERGRAIN WAS BORN FROM THE SAME TOOLING USED TO CREATE SUPER MACHINES.

Before we shaped doors, we shaped metal and motion with micron-level precision



1962
The Origin of Weber Manufacturing Ltd. | Windsor, Ontario

Founded in Windsor, Ontario, Weber Manufacturing Ltd. began as a tooling company at a time when manufacturing excellence was defined by hand, eye, and instinct. This was an era where mistakes were expensive, and precision was non-negotiable.

1978
Engineering at Full Scale

Weber invested in the largest high-precision 2-spindle copy milling machine of its kind in North America, proving that scale and accuracy could coexist. That same mindset guides MASTERGRAIN today, delivering design freedom, repeatable quality, and long-term performance through high-tolerance door systems.



2018
Expansion into Pre-Hang Manufacturing | Vaughan, Ontario

MASTERGRAIN evolved into a fully engineered door system manufacturer to gain complete control of fit, finish, and performance. This shift also deepened its understanding of customers and end consumers, strengthening R&D and driving meaningful product innovation.

2024
Launched ARTEMA | Large-Format Custom Fiberglass Doors

Where MASTERGRAIN represents mastery, Artema™ represents freedom. In 2024, after pushing the limits of what fiberglass doors could become, MASTERGRAIN acquired Artema to deliver large-format, highly customized fiberglass door systems that extend beyond today's manufacturing boundaries and are simply not available from conventional door suppliers.



1967
Weber Tools & Mold Established

Weber moved to Midland to access highly skilled machinists from the region's shipbuilding heritage, where working at architectural scale demanded uncompromising precision. That same mastery now defines MASTERGRAIN™ door skins, panels, and complete door systems, with large surfaces engineered for exact geometry, fit, and consistency.



1989
Tooling for the World's Most Demanding Brands. Nickel Tooling Technology (NTT) Division Established

With the launch of NTT, Weber entered the highest tier of manufacturing, producing tooling for automotive, aerospace, and defense industries—where precision is critical and failure is not an option. That same engineering rigor now defines how MASTERGRAIN door systems are designed, tooled, and built for uncompromising performance.

2000
Mastery of Surface Perfection. Nickel Vapor Deposition (NVD) Plant Built

Weber built one of the world's few Nickel Vapor Deposition facilities, enabling precise transfer of surface texture into durable, repeatable tooling. Proven in automotive applications, this innovation ensures the consistency and quality of MASTERGRAIN door skins.

2008
MASTERGRAIN was Born

After decades of building high-precision tooling for the world's most demanding industries, Weber applied that same rigorous engineering discipline and expertise to exterior doors—creating entry systems designed with aerospace-grade precision and performance.



2022
82,000 Sq. Ft. Dedicated MASTERGRAIN Facility | Midland, Ontario

A dedicated facility unified component manufacturing and final assembly, enabling tighter process control, faster development cycles, and system-level quality. It applies the same engineering discipline that was once only required by aerospace and supercar customers to exterior door production.





BETTER THAN WOOD. IT'S MASTERGRAIN.

Every MASTERGRAIN™ panel is molded from real wood master models to deliver depth, texture, and authenticity giving door builders a premium canvas to design distinctive, high-value entryways.



Scan to Watch
How It's Made

BEAUTY & PERFORMANCE THAT STAND THE TEST OF TIME

Only MASTERGRAIN offers door manufacturers the design flexibility homeowners demand and the dimensional stability production requires. Our fiberglass panels and components won't warp, rust, or degrade like wood or steel, enabling tighter tolerances, higher first-pass yield, fewer callbacks, and more predictable lead times—protecting margins, throughput, and brand reputation long after the unit leaves the plant.

MASTERGRAIN Fiberglass **VS.** Traditional Wood Door

MASTERGRAIN fiberglass doors are indistinguishable from natural wood doors.



MASTERGRAIN fiberglass doors resist warping, splitting, cracking, rot, and insects much better over time.



MASTERGRAIN

FIBERGLASS TECHNOLOGY:

REAL WOOD CHARACTER, ENGINEERED TO PERFORM


As home design moves back toward natural materials, warmer tones, and visible woodgrain, MASTERGRAIN™ was built to meet the moment. Through our proprietary NVD technology, we capture the depth, texture, and variation of real wood and translate it into premium fiberglass door panels and components that stain beautifully, complement today's interiors, and deliver the durability, stability, and low-maintenance performance homeowners expect.



CHERRY

Cherry offers a warm, refined grain that sits between the subtle elegance of Mahogany and the stronger texture of Oak. Difficult to replicate convincingly in fiberglass, MASTERGRAIN's Cherry grain brings smooth movement, richness, and versatility to traditional, transitional, and contemporary homes.

Exclusive to MASTERGRAIN



FIR

Fir is defined by tight, straight, consistent grain lines that feel both natural and architectural. MASTERGRAIN's Fir options support classic craftsman designs as well as cleaner shaker-inspired styles, making it ideal for homes that emphasize warmth, simplicity, and linear detail.

Cleanest Linear Grain



KNOTTY ALDER

Knotty Alder brings character, charm, and natural variation through its fine grain, knots, and mineral streaks. While rooted in rustic and craftsman design, it can become elevated and transitional when paired with contemporary hardware, clean glass, and deep stain colours.

Richest Natural Character



MAHOGANY

Mahogany offers a quieter, more restrained grain with classic depth and subtle movement. MASTERGRAIN's Mahogany is well suited to traditional, estate, and timeless entry designs where elegance, warmth, and sophistication matter more than bold texture.

Most Refined Depth



OAK

Oak is especially relevant as interiors move back toward sliced oak, natural stains, and visible woodgrain. MASTERGRAIN's traditional and contemporary Oak options capture the species' open grain, natural flaring, and strong texture, making it ideal for modern organic, transitional, and wood-forward homes.

Boldest Organic Texture



EDGE SMOOTH

Edge Smooth supports the growing preference for black, deep grey, bronze, and other dark painted finishes. MASTERGRAIN applies Weber's automotive tooling expertise to create an ultra-smooth, paint-ready fiberglass surface that helps manufacturers reduce prep time, improve finishing consistency, and deliver a cleaner, more refined entry system.

Exclusive to MASTERGRAIN

THE ONLY FULLY INTEGRATED FIBERGLASS DOOR MANUFACTURER IN THE WORLD.

We are the only fiberglass door manufacturer to **engineer and build our own tooling—and produce every critical door component** from door skins and lite frames to cladding for brickmold, jambs and mullposts in-house.

Every component is clad with the same fiberglass material that accepts stain evenly delivering consistent tone, depth and wood realism across the entire system.

For door builders, this means **unmatched consistency, reliable supply, and total system confidence.**




- FIBERGLASS-CLAD COMPOSITE BRICKMOLD
- FIBERGLASS-CLAD COMPOSITE JAMBS
- ONE-PIECE FIBERGLASS MOLDED DOOR LITE FRAME
- COMPOSITE GLASS STOP
- FIBERGLASS-CLAD COMPOSITE MULLPOST WITH ALLUMINUM REINFORCEMENT
- FIBERGLASS MOLDED SIMULATED DIVIDED LITE (SDL)

PREMIUM FIBERGLASS PANELS BUILT TO LAST

MASTERGRAIN's premium panels deliver exceptional strength, stability, and surface definition. Built to withstand extreme climates and daily use, they maintain their integrity and architectural detail for decades.



- ROT-RESISTANT COMPOSITE TOP RAIL
- CFC FREE POLYURETHANE FOAM CORE
- 4-1/16" WIDE FULL LENGTH ENGINEERED WOOD STILES WITH HARDWOOD EDGE CAP ON BOTH SIDES
- SHARP DISTINCTIVE EMBOSMENT DEEP DEFINITION
- GLASS FIBER REINFORCED POLYESTER SHEET MOLDED COMPOUND (SMC) SKIN THICKNESS IS 0.090" (CERTAIN STYLES AVAILABLE IN 0.175" FOR ENGRAVING & INLAYS)
- ROT-RESISTANT COMPOSITE KERFED BOTTOM RAIL



ONE-PIECE FIBERGLASS MOLDED DOOR LITE FRAME

One-piece molded fiberglass door lite frames are formed as a single, continuous component, eliminating joints, seams, and fasteners for a clean, precise appearance. Molded from high-performance Sheet Molded Compound (SMC), they deliver a tight fit, consistent sightlines, and long-term dimensional stability.

Compared to wood, vinyl, or aluminum frames, fiberglass will not rot, corrode, warp, or loosen, even under extreme temperature and moisture conditions. The result is a stronger, lower-maintenance frame with superior air and water tightness and lasting structural integrity.


GLASS SURROUND OPTIONS

Design options for door lite frames span contemporary, traditional, and flush-fit profiles, allowing the glass to complement any architectural style. Contemporary frames feature clean lines and sharp edges for a modern, minimal aesthetic. Traditional profiles incorporate deeper contours and classic detailing for a more decorative look. Flush-fit frames sit level with the door surface, creating a seamless, integrated appearance ideal for modern and transitional designs. Each option delivers precise fit and consistent sightlines, giving designers the flexibility to match the door's character while maintaining a refined, cohesive finish.




STEPPED - CONTEMPORARY

Available grain/texture:
Edge Smooth




STEPPED - TRADITIONAL

Available grain/texture:
Cherry, Mahogany, Oak and Knotty Alder



FLUSH - EDGE SMOOTH

Available grain/texture:
Edge Smooth *



FLUSH - FIR

Available grain/texture:
Fir *

* Exclusive to MASTERGRAIN is an integrated, one-piece molded door lite frame and Craftsman dentil shelf, available in woodgrain Fir and Edge Smooth. See pages 58-61.

FIBERGLASS MOLDED SIMULATED DIVIDED LITES

Molded fiberglass simulated divided lites (SDL) are formed as durable, one-piece profiles that replicate the depth and shadow lines of true divided lites. Each component is precisely notched ensuring accurate alignment, efficient assembly, and consistent sightlines.

Unlike wood or applied grille systems, molded fiberglass SDLs will not rot, warp, or loosen over time. They maintain crisp definition and dimensional stability through temperature swings and moisture exposure, delivering authentic architectural detail with long-term durability and low maintenance.

All 1" SDLs come pre-taped and notched to create a beautiful lap-joint

1" Wide Colonial Alder

1" Wide Colonial Oak

1" Wide Colonial Mahogany / Cherry

1" Wide Contemporary Fir

1" Wide Contemporary Edge Smooth

3.5" Wide Contemporary
Edge Smooth & Fir Sold in 8' Lengths

5.125" Wide Contemporary
Edge Smooth & Fir Sold in 8' Lengths

FIBERGLASS CLAD COMPOSITE COMPONENTS

The industry’s only NVD fiberglass-clad components combine a durable structural core with a molded fiberglass exterior, featuring the same authentic woodgrain texture as MASTERGRAIN™ door panels—ensuring perfectly aligned grain patterns and seamless, uniform depth and definition across the entire door system when stained.

- Versatile lengths and widths
- 2X screw holding power due to rigid composite formulation and closed cellular structure
- Rot and moisture resistant
- Stronger than wood door frames
- Low maintenance
- Insect and rodent resistant

Knotty Alder

Mahogany

Fir


Oak

Cherry

Smooth

SMC base colors tuned to each woodgrain—beige for Knotty Alder, Oak, Fir and Edge Smooth and rose-beige for Mahogany and Cherry—to support finishing results.

FIBERGLASS CLAD COMPOSITE JAMBS



FIBERGLASS CLAD JAMBS			
	4-9/16"	6-9/16"	7-5/8"
1-3/4" Clad	✓	✓	✗
1-3/4" Non-Clad	✓	✓	✓
2-1/4" Clad	✗	✓	✗

Size and availability depending on grain/model.




FIBERGLASS CLAD COMPOSITE BRICKMOLD



FIBERGLASS CLAD BRICKMOLDS			
	Knotty Alder / Oak	Mahogany / Cherry	Fir
2"	✓	✓	✗
3-3/4"	✗	✓	✓


Size and availability depending on grain/model.



2" Standard Profile

3-3/4" Fir Profile

FIBERGLASS CLAD MULL POST WITH ALLUMINUM REINFORCEMENT



TRANSOM SILL & GLASS STOP

COMPOSITE TRANSOM SILL WITH GRAIN (NON-CLAD)



Size	Part #	Finish
5-5/8" x 120"	TSCOM4120	Grained
7-5/8" x 120"	TSCOM6120	Grained
5-5/8" X 168"	TSCOM4168P	Smooth Primed
7-5/8" X 168"	TSCOM6168P	Smooth Primed



COMPOSITE GLASS STOPS (NON-CLAD)



Size	Part #	Finish
3/4" x 1/2" x 144"	GS-COMG	Grained
3/4" x 1/2" x 144"	GS-COM	Smooth Raw
.354" x .553" x 99"	GSCOM99	Grained



CUSTOM SIZES & DESIGN.

Standard products serve most needs. But when your customers demand something more: a different size, a distinctive finish, or an entirely new form, MASTERGRAIN delivers.



CUSTOM SIZES

Not every project fits a standard size. MASTERGRAIN offers customization options for door and sidelite panels – including length, width, thickness (1-3/4" or 2-1/4"), and book size availability – giving you the flexibility to meet unique project requirements and create differentiated entry systems.



GET THE FULL
SIZING CHART



DESIGN CUSTOMIZATION

For qualifying project volumes, MASTERGRAIN supports custom panel design details, including engraving and stainless-steel inlays, to help you create distinctive entry systems tailored to specific design or brand requirements.

Contact us to discuss opportunities.



TOOLING CUSTOMIZATION

MASTERGRAIN is an integrated manufacturer with in-house tooling development capabilities, deep fiberglass expertise, and experience supporting partners on door and related product development. This allows us to help bring new concepts to market with greater control over design, quality, manufacturability, and execution.

For partners, that means a faster path from idea to production, a higher-quality finished product, and stronger potential for payback through improved margins on a differentiated premium offering.



PERFORMANCE TESTING

MASTERGRAIN™ panels are independently tested and verified to meet rigorous performance standards across a wide range of climates and conditions. From energy efficiency and thermal performance to structural integrity and weather resistance, our doors are evaluated to perform reliably in real-world environments – including strong winds, windborne debris, and coastal moisture – making them suitable for use in some of North America’s most demanding building zones.



SCAN TO SEE
OUR PRODUCT
PUT TO TEST



These images and the linked video capture a forced-entry test of a MASTERGRAIN fiberglass panel with lite frame and glass using a standard double-bore lockset. Extreme impact and prying loads are applied at the latch and deadbolt to simulate an aggressive break-in. While the hardware and surrounding stile deform and crack under abuse, the fiberglass panel and integrated lite frame remain fully intact and seated. The glass does not shift or release, proving that the skin, core, and lite frame function as a single structural system, not just a cosmetic assembly.

In practical terms, the test shows that MASTERGRAIN panels can absorb and redistribute severe loads without delamination, frame movement, or glass loss—maintaining opening integrity even when the lockset itself is driven beyond its mechanical limits.



IMPACT TESTED PRODUCTS ARE FOUND UNDER THE FOLLOWING APPROVAL NUMBERS

Non-Impact	Impact	HVHZ
#FL13320	#FL21852	#FL21852.19* #FL21852.49*

Visit www.floridabuilding.org/pr/pr_app_srch.aspx for details.
*Tested with opaque 3'-6" x 8' outswing.
MASTERGRAIN doors are NAFS and ENERGY STAR® Canada Certified. Visit <https://oee.nrcan.gc.ca/pml-lmp/index.cfm> to view ENERGY STAR Canada certified products.

CONTEMPORARY | ENGRAVED



Contemporary Cherry Engraved | C953

AVAILABLE GRAINS / TEXTURES




Cherry - C#



Oak - O#



Edge Smooth - E#



499 / 599 * 124 / 154 3 125 / 155 2 907 / 957 2 908 / 958 2 500 / 550 1



501 / 551 1 528 / 553 1 536 / 552 1 900 / 950 2 901 / 951 2 902 / 952 2



903 / 953 2 905 / 955 2 906 / 956 2 498 E704/E707

SIZING

Heights	6'-8"	7'	8'	
Widths	32"	34"	36"	42"
Sidelites Widths	10"	12"	14"	16"

DESIGN & ENGINEERING NOTES

- Engraving stops before door edge for air and water protection.
- *Also available in 30" and 0.175" thick skins
- 2-¼" slab thickness available without glass.
- Custom design options are available. Subject to engineering review.



ARCHITECTURAL DETAIL



Not engineering drawings. For reference only.


CONTEMPORARY | STAINLESS INLAY

Contemporary Cherry Stainless Inlay | C613

AVAILABLE GRAINS / TEXTURES



Cherry - C#



Oak - O#



Edge Smooth - E#



601 / 608

1



602 / 609

1



603 / 610 *

1



604 / 611

1



605 / 612

1



606 / 613

1




607 / 614

2



615 / 665 *

3



Inlays available in gold, black or stainless.

Inlay stops before door edge for air and water protection.



498
E704/E707


SIZING

Heights	6'-8"	7'	8'	
Widths	34"	36"	42"	
Sidelites Widths	10"	12"	14"	16"

DESIGN & ENGINEERING NOTES


- Not offered in custom sizes
- Custom design options available, subject to engineering review
- Black mirrored inlay available for C615 / C665 only
- 2-¼" slab thickness available for doors without glass

ARCHITECTURAL DETAIL




Stainless Profile A

1



Stainless Profile B

2



Stainless Profile C

3

Not engineering drawings. For reference only.

TRADITIONAL | CLASSIC




Traditional Classic Mahogany | M262 | M-SL-48 | Lite 8x48

AVAILABLE GRAINS / TEXTURES



Cherry - C



Oak - O



Mahogany- M



C220
O294
M262



14x37 OV



22x48 CT



4 Lite 22x48 CT



6 Lite 22x48 CT



8 Lite 22x48 CT



CT 22x48 CT



22x48



4 Lite 22x48



6 Lite 22x48



8 Lite 22x48



12 Lite 22x48



Prairie 22x48



C-SL-48
O-SL-48
M-SL-48



1 Lite
8x48



2 Lite
8x48



3 Lite
8x48



4 Lite
8x48



4 Lite
8x48
2x2



Prairie
8x48


SIZING

Heights	6'-8"	7'	
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.
- 2-¼" slab thickness available for doors without glass.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional
Glass Surround



Colonial Oak and
Mahogany/Cherry SDL


TRADITIONAL | CLASSIC

Traditional Classic Cherry | C200 | C-SL-36 8x36


AVAILABLE GRAINS / TEXTURES



Cherry - C



Oak - O



Mahogany - M



C200
O277
M247



22x11 CT



4 Lite 22x11 CT



22x36



4 Lite 22x36



6 Lite 22x36



9 Lite 22x36



C-SL-36
O-SL-36
M-SL-36



8x36



2 Lite
8x36




3 Lite
8x36



4 Lite
8x36

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional
Glass Surround



Colonial Oak and
Mahogany/Cherry SDL

SIZING

Heights	6'-8"	7'	
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

TRADITIONAL | CLASSIC




Traditional Classic Cherry | C200 10 Lite 22x64 | C-SL-36 5 Lite

AVAILABLE GRAINS / TEXTURES



Cherry



Oak



Mahogany



C200
O277
M247



22x64



4 Lite 22x64



6 Lite 22x64



8 Lite 22x64



10 Lite 22x64



15 Lite 22x64



Prairie 22x64



C-SL-36
O-SL-36
M-SL-36



6x64



8x64



2 Lite



3 Lite



4 Lite



5 Lite



4 Lite
2x2



Prairie



Prairie
2H


SIZING

Heights	6'-8"	7'	
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional
Glass Surround



Colonial Oak and
Mahogany/Cherry SDL

TRADITIONAL | CLASSIC



Traditional Classic Oak | O292 | O-SL-48 5 Lite 8x64

AVAILABLE GRAINS / TEXTURES



Cherry



Oak



C215
O292



8x42 RT



C-SL-48
O-SL-48



8x64



2 Lite
8x64



3 Lite
8x64



4 Lite
8x64



5 Lite
8x64



4 Lite
8x64
2x2



Prairie
8x64
2H



Prairie

SIZING

Heights	6'-8"	7'	
Widths	34"	36"	
Sidelites Widths	12"	14"	16"


DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional
Glass Surround



Colonial Oak and
Mahogany/Cherry SDL


TRADITIONAL | CLASSIC



AVAILABLE GRAINS / TEXTURES



Cherry



Oak



C233
O308



C234
O309



14x37 OV



22x48



4 Lite 22x48



6 Lite 22x48



8 Lite 22x48



12 Lite 22x48



Prairie 22x48



C-SL-48
O-SL-48



8x48



2 Lite
8x48



3 Lite
8x48



4 Lite
8x48



4 Lite
8x48
2x2



Prairie
8x48

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional
Glass Surround



Colonial Oak and
Mahogany/Cherry SDL

SIZING

Heights	6'-8"	7'	
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

Traditional Classic Oak | O308 6 Lite 22x48

TRADITIONAL | CLASSIC



Traditional Classic Cherry | C250 10 Lite 22x64 | C-SL-64 5 Lite 8x64

AVAILABLE GRAINS / TEXTURES



Cherry



C250



C251



22x64



4 Lite 22x64



6 Lite 22x64



8 Lite 22x64



10 Lite 22x64



15 Lite 22x64



Prairie 22x64



C-SL-64



8x64



2 Lite 8x64



3 Lite 8x64



4 Lite 8x64



5 Lite 8x64



4 Lite 8x64 2x2



Prairie 8x64


SIZING

Heights	8'		
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for 36" x 8' and 42" x 8' doors, without glass.
- 10" flush panel sidelites available in Cherry (C498) and Oak (O498).
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional Glass Surround



Colonial Oak and Mahogany/Cherry SDL

TRADITIONAL | CLASSIC



Traditional Classic Cherry | C217


AVAILABLE GRAINS / TEXTURES




Cherry



C217




C218 (3 Plank)



C219 (5 Plank)




28x48



4 Lite 28x48



6 Lite 28x48



8 Lite 28x48



12 Lite 28x48



Prairie



C8-SL-48



8x48



2 Lite 8x48



3 Lite 8x48



4 Lite 8x48




4 Lite 8x48 2x2



Prairie 8x48

ARCHITECTURAL DETAIL



Colonial Embossment



Stepped - Traditional Glass Surround



Colonial Oak and Mahogany/Cherry SDL

SIZING

Heights	8"
Widths	42"
Sidelites Widths	12" 14" 16"

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498)
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

TRADITIONAL | RUSTIC



Traditional Rustic Knotty Alder | KA166

AVAILABLE GRAINS / TEXTURES



Knotty Alder



KA165



22x48 CT



4 Lite 22x48 CT



6 Lite 22x48 CT



8 Lite 22x48 CT



CT 22x48 CT



KA166 (5 Plank)



CT KA166 (5 Plank)



Prairie 22x48



22x48



4 Lite 22x48



6 Lite 22x48



8 Lite 22x48



12 Lite 22x48



KA-SLR



8x48



2 Lite
8x48



3 Lite
8x48



4 Lite
8x48



4 Lite
8x48
2x2


SIZING

Heights	8'		
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"


DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Rustic Colonial Embossment



Stepped - Traditional Glass Surround



Molded Knot Detail



Colonial Alder SDL

TRADITIONAL | RUSTIC

AVAILABLE GRAINS / TEXTURES



Knotty Alder



KA159



KA160 (5 Plank)



22x36



4 Lite 22x36



6 Lite 22x36



8 Lite 22x36



9 Lite 22x36



22x64



4 Lite 22x64



6 Lite 22x64



8 Lite 22x64



10 Lite 22x64



15 Lite 22x64



Prairie 22x64



KA-SLR



8x36



2 Lite 8x36



3 Lite 8x36



4 Lite 8x36

SIZING

Heights	6'-8"	7'	
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Rustic Colonial Embossment



Stepped - Traditional Glass Surround



Molded Knot Detail



Colonial Alder SDL

Rustic Knotty Alder | KA159 4 Lite 22x48

TRADITIONAL | RUSTIC



Rustic Cherry | C145

AVAILABLE GRAINS / TEXTURES



Cherry



C144



C145 (5 Plank)



CT C145 (5 Plank)



C-SLR-64



8x64



2 Lite
8x64



3 Lite
8x64



4 Lite
8x64



5 Lite
8x64



Prairie
8x64

SIZING

Heights	8'		
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498)
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Rustic Colonial
Embossment



Colonial Cherry SDL

TRADITIONAL | RUSTIC



Rustic Cherry | C101 | C-SLR-48 8x64

AVAILABLE GRAINS / TEXTURES



Cherry



C100



C101 (5 Plank)



Camber (5 Plank)



Camber 22x48 CT



22x48 CT



4 Lite 22x48 CT



6 Lite 22x48 CT



8 Lite 22x48 CT



14x37 OV



C-SLR-48



8x48



2 Lite
8x48



3 Lite
8x48



4 Lite
8x48



4 Lite
8x48
2x2



Prairie
8x48



8x64

ARCHITECTURAL DETAIL



Rustic Colonial
Embossment



Stepped - Traditional
Glass Surround



Colonial Cherry SDL

SIZING

Heights	6'-8"	7'	
Widths	32"	34"	36"
Sidelites Widths	12"	14"	16"


DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available in Cherry (C498)
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

YOURSTYLE™ | 8'

ONE-PANEL SHAKER

AVAILABLE GRAINS / TEXTURES



Fir



F801



F862



F863



F864



F865



F866



F867



F868



F869



F871



F872



F873



F874



F875

The MASTERGRAIN™ YourStyle™ Door Collection combines the clean look of a one-panel shaker door with simulated divided lites (SDLs) to create custom patterns on solid or glazed panels. Available in Fir or Edge Smooth, the system is supplied as components rather than pre-assembled units, with standard panels, lineal SDL lengths, and layout drawings that allow fabricators to stock material and efficiently cut and assemble multiple custom door designs as needed.



SCAN TO SEE THE POSSIBILITIES

YourStyle | F874


SIZING

Heights	8'	
Widths	34"	36"


DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- SDL bars available in 3-½" and 5-⅛" widths.


ARCHITECTURAL DETAIL



Simulated Divided Lites



3.5" Contemporary
Fir SDL



5.125" Contemporary
Fir SDL

YOURSTYLE™ | 8'

ONE-PANEL SHAKER | DOOR LITE

AVAILABLE GRAINS / TEXTURES



Fir



F801



F801 22x80



F862 22x80



F863 22x80



F864 22x80



F865 22x80



F866 22x80



F867 22x80



F868 22x80



F869 22x80



F871 22x80



F872 22x80



F873 22x80

The MASTERGRAIN™ YourStyle™ Door Collection combines the clean look of a one-panel shaker door with simulated divided lites (SDLs) to create custom patterns on solid or glazed panels. Available in Fir or Edge Smooth, the system is supplied as components rather than pre-assembled units, with standard panels, lineal SDL lengths, and layout drawings that allow fabricators to stock material and efficiently cut and assemble multiple custom door designs as needed.



SCAN TO SEE THE POSSIBILITIES

SIZING

Heights	8'	
Widths	34"	36"


DESIGN & ENGINEERING NOTES

- SDL bars available in 3-½" and 5-⅞" widths.

ARCHITECTURAL DETAIL



Flush - Fir Glass Surround



3.5" Contemporary Fir SDL



5.125" Contemporary Fir SDL

YOURSTYLE™ | 6'-8" & 7'

ONE-PANEL SHAKER

AVAILABLE GRAINS / TEXTURES



Fir - F#



Edge Smooth - E#



800




822



823



824



825



826



827



828



829



831



832



833



834



835

The MASTERGRAIN™ YourStyle™ Door Collection combines the clean look of a one-panel shaker door with simulated divided lites (SDLs) to create custom patterns on solid or glazed panels. Available in Fir or Edge Smooth, the system is supplied as components rather than pre-assembled units, with standard panels, lineal SDL lengths, and layout drawings that allow fabricators to stock material and efficiently cut and assemble multiple custom door designs as needed.



SCAN TO SEE THE POSSIBILITIES


SIZING

Heights	6'-8"	7'
Widths	34"	36"


DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- SDL bars available in 3-½" and 5-⅛" widths.


ARCHITECTURAL DETAIL



Simulated Divided Lites



3.5" Contemporary
Fir SDL



5.125" Contemporary
Fir SDL

YOURSTYLE™ | 6"-8" & 7'

ONE-PANEL SHAKER | DOOR LITE

AVAILABLE GRAINS / TEXTURES



Fir - F#



Edge Smooth - E#



800



800 22x64



822 22x64



823 22x64



824 22x64



825 22x64



826 22x64



827 22x64



828 22x64



829 22x64




831 22x64



832 22x64



833 22x64



F-SL-1P *

The MASTERGRAIN™ YourStyle™ Door Collection combines the clean look of a one-panel shaker door with simulated divided lites (SDLs) to create custom patterns on solid or glazed panels. Available in Fir or Edge Smooth, the system is supplied as components rather than pre-assembled units, with standard panels, lineal SDL lengths, and layout drawings that allow fabricators to stock material and efficiently cut and assemble multiple custom door designs as needed.



SCAN TO SEE THE POSSIBILITIES

SIZING

Heights	6'-8"	7'	
Widths	34"	36"	
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- SDL bars available in 3-½" and 5-⅞" widths.
- * Flush fit sidelite only available in Fir

ARCHITECTURAL DETAIL



Flush - Fir & Edge Smooth Glass Surround



3.5" Contemporary Edge Smooth SDL



5.125" Contemporary Edge Smooth SDL

YOURSTYLE™ | 8'


FLUSH DOOR | CONTEMPORARY GLASS SURROUND

YourStyle | Barn 22x80

AVAILABLE GRAINS / TEXTURES



Edge Smooth



E705



22x80



1H 22x80



2H 22x80



3H 22x80



4H 22x80



5H 22x80



6H 22x80



4H 3HL 22x80



4H 2HL 22x80



BARN 22x80



4H 2HL 22x80



CRFT 22x80



E707

SIZING

Heights	8'			
Widths	34"	36"	42"	
Sidelites Widths	10"	12"	14"	16"

DESIGN & ENGINEERING NOTES

- SDL bars available in 3-½" and 5-⅞" widths.

ARCHITECTURAL DETAIL



Stepped -Contemporary Glass Surround




3.5" Contemporary Edge Smooth SDL



5.125" Contemporary Edge Smooth SDL

SHAKER | EDGE SMOOTH

AVAILABLE GRAINS / TEXTURES



Edge Smooth - E#



E800



22x64



4 Lite 22x64



6 Lite 22x64



8 Lite 22x64



10 Lite 22x64



15 Lite 22x64

Shaker | Edge Smooth | E800 22x64

SIZING

Heights	6'-8"	7'
Widths	34"	36"

DESIGN & ENGINEERING NOTES

- SDL bars available in 3-½" and 5-⅞" widths.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Flush - Edge Smooth
Glass Surround



Contemporary Edge
Smooth SDL

SHAKER | EDGE SMOOTH



Shaker | Edge Smooth | E904

AVAILABLE GRAINS / TEXTURES




Edge Smooth



E736



E904 *
Engraved



22x36



4 Lite 22x36



6 Lite 22x36



9 Lite 22x36




E746



E954 *
Engraved



22x48



4 Lite 22x48



6 Lite 22x48



8 Lite 22x48



12 Lite 22x48



E737




8x36



2 Lite
8x36



3 Lite
8x36



4 Lite
8x36



E747



8x48



2 Lite
8x48



3 Lite
8x48



4 Lite
8x48



4 Lite
8x48
2x2


SIZING

Heights	6'-8"	7'	8'
Widths	34"	36"	
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass.
- 10" flush panel sidelites available.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Flush - Edge Smooth
Glass Surround



Contemporary Edge
Smooth SDL



Not engineering drawings.
For reference only.

*Ball Groove Profile

CRAFTSMAN



Craftsman Fir | F300 3 Lite 23-3/4x15 Dentil Shelf

AVAILABLE GRAINS / TEXTURES



Fir



Edge Smooth



F300
E721



23-3/4x15



2 Lite 23-3/4x15



4 Lite 23-3/4x15



3 Lite 23-3/4x15



6 Lite 23-3/4x15



F-SL-2P
8x15



2 Lite H
8x15



2 Lite V
8x15



4 Lite
8x15



8x64



Prairie 2H
8x64



Craftsman
8x64

Matching Sidelite Only Available in Fir

SIZING

Heights	6'-8"	7'	
Widths	34"	36"	
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for doors without glass.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Optional Integrated
Dentil Shelf



Flush - Fir Glass
Surround



Contemporary Fir SDL



Contemporary Edge Smooth SDL

CRAFTSMAN

AVAILABLE GRAINS / TEXTURES



Fir



F350



23-3/4x19-1/4



2 Lite
23-3/4x19-1/4



4 Lite
23-3/4x19-1/4



3 Lite
23-3/4x19-1/4



6 Lite
23-3/4x19-1/4



F-SL-2P
8x19-1/4



2 Lite H
8x19-1/4



2 Lite V
8x19-1/4



4 Lite
8x19-1/4



8x77



Prairie 2H
8x77



Craftsman
8x77

Craftsman Fir | F350 6 Lite 23-3/4x19-1/4 | F-SL-2P 2 Lite H 8x19-1/4

SIZING

Heights	8"		
Widths	34"	36"	
Sidelites Widths	12"	14"	16"

DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for doors without glass.
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Optional Integrated
Dentil Shelf



Flush - Fir Glass
Surround



Contemporary Fir SDL

CONTEMPORARY | EDGE SMOOTH



Contemporary Edge Smooth | E701

AVAILABLE GRAINS / TEXTURES



Edge Smooth



E701*
*Not available
in 8'



22x17
Glass 1



22x17
Glass 2



22x17
Glass 3



E703**
Also available
in 42"




8x64 L



8x64 C



8x64 R



E705



8x80 L




8x80 C




8x80 R




22x3.5
Glass 5




E704 / E707




8x64 / 8x80




2 Lite 8x64 /
2 Lite 8x80




3 Lite 8x64 /
3 Lite 8x80



4 Lite 8x64 /
4 Lite 8x80



5 Lite 8x64 /
5 Lite 8x80



4 Lite 8x64 2x2 /
4 Lite 8x80 2x2

SIZING

Heights	6'-8"	7'	8'
Widths	32"	34"	36"
Sidelites Widths	10"	12"	14"


DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for doors without glass
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Edge Smooth
Embossment




Stepped -Contemporary
Glass Surround



Contemporary Edge
Smooth SDL

CONTEMPORARY | EDGE SMOOTH



Contemporary Edge Smooth | E706 10 Lite 22x64 | E708 5 Lite 8x64

AVAILABLE GRAINS / TEXTURES



Edge Smooth



E700 / E706



22x48 / 22x64



4 Lite 22x48 /
4 Lite 22x64



6 Lite 22x48 /
6 Lite 22x64



8 Lite 22x48 /
8 Lite 22x64



10 Lite 22x48 /
10 Lite 22x64



12 Lite 22x48 /
15 Lite 22x64



E702 / E708



8x48 / 8x64



2 Lite 8x48 /
2 Lite 8x64



3 Lite 8x48 /
3 Lite 8x64



4 Lite 8x48 /
4 Lite 8x64



5 Lite 8x48 /
5 Lite 8x64



4 Lite 8x48 2x2 /
4 Lite 8x64 2x2

SIZING

Heights	6'-8"	7'	8'
Widths	32"	34"	36"
Sidelites Widths	12"	14"	


DESIGN & ENGINEERING NOTES

- 2-1/4" slab thickness available for doors without glass
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Edge Smooth Embossment



Stepped -Contemporary Glass Surround



Contemporary Edge Smooth SDL

CONTEMPORARY | EDGE SMOOTH



Contemporary Edge Smooth | E705 10 Lite 22x80 | E707 5 Lite 8x80

AVAILABLE GRAINS / TEXTURES



Edge Smooth



E703 22x64 /
E705 22x80



4 Lite 22x64 /
4 Lite 22x80



6 Lite 22x64 /
6 Lite 22x80



8 Lite 22x64 /
8 Lite 22x80



10 Lite 22x64 /
10 Lite 22x80



15 Lite 22x64 /
15 Lite 22x80



28x80
(42" x 8' Slab Size Only)



4 Lite 28x80



6 Lite 28x80



8 Lite 28x80



10 Lite 28x80



15 Lite 28x80



E704 8x64 /
E707 8x80



2 Lite 8x64 /
2 Lite 8x80



3 Lite 8x64 /
3 Lite 8x80



4 Lite 8x64 /
4 Lite 8x80



5 Lite 8x64 /
5 Lite 8x80



4 Lite 8x64 2x2 /
4 Lite 8x80 2x2

SIZING

Heights	6'-8"	7'	8'	
Widths	32"	34"	36"	42"
Sidelites Widths	12"	14"	16"	


DESIGN & ENGINEERING NOTES

- 2-¼" slab thickness available for doors without glass
- SDLs & Frames must be ordered to complete the exterior & the interior side of the door.

ARCHITECTURAL DETAIL



Stepped - Contemporary Glass Surround



Contemporary Edge Smooth SDL

DIMENSION MATRIX

All door panels are avaialble in 2-¼" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS	WIDTH	HEIGHT			MATCHING SIDELITE	SIDELITE WIDTH			
									6-8"	7'	8'		10"	12"	14"	16"
CHERRY	C100/C101	Rustic		1-3/4"	2	14"x37" O 22"x48" CT 22"x48"	•	32"	•	•		C-SLR-48		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	C144/C145	Rustic		1-3/4" 2-1/4"	2	22"x64"	•	32"			•	C-SLR-64		•	•	•
								34"			•					
								36"			•					
								42"								
	C200	Classic		1-3/4"	6	22"x11" CT 22"x36" 22"x64"	•	32"	•	•		C-SL-36		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	C215	Classic		1-3/4"	8	8"x42" RT		32"				C-SL-48		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	C217/C218/ C219	Classic		1-3/4" 2-1/4"	2	28"x48"	•	32"				C8-SL-48		•	•	•
								34"								
								36"								
								42"			•					
	C220	Classic		1-3/4"	3	22"x48" CT 22"x48" 14"x37" O	•	32"	•	•		C-SL-48		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	C233/C234	Classic		1-3/4"	2	14"x37" O 22"x48" 22"x64"	•	32"	•	•		C-SL-48		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	C250	Classic		1-3/4" 2-1/4"	2	22"x64"	•	32"			•	C8-SL-64		•	•	•
								34"			•					
								36"			•					
								42"								
	C499/C599	Contemporary	Flush	1-3/4" 2-1/4"	Flush	8"x64" 22"x80"		32"	•	•	•	C498	•	•	•	•
								34"	•	•	•					
								36"	•	•	•					
								42"	•	•	•					
	C124/C125	Contemporary	Engraved	1-3/4"	Plank			32"	•	•		C498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	C154/C155	Contemporary	Engraved	1-3/4" 2-1/4"	Plank			32"			•	C498	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	C500/C501 C528/C536	Contemporary	Engraved	1-3/4"	Flush			32"	•	•		C498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
C550/C551 C552/C553	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"			•	C498	•	•	•	•	
							34"			•						
							36"			•						
							42"			•						
C900/C901 C902	Contemporary	Engraved	1-3/4"	Flush			32"	•	•		C498	•	•	•	•	
							34"	•	•							
							36"	•	•							
							42"	•	•							
C903/C905 C906	Contemporary	Engraved	1-3/4"	Flush			32"				C498	•	•	•	•	
							34"	•	•							
							36"	•	•							
							42"	•	•							
C907/C908	Contemporary	Engraved	1-3/4"	Flush			32"	•	•		C498	•	•	•	•	
							34"	•	•							
							36"	•	•							
							42"	•	•							
C950/C951 C952	Contemporary	Engraved	1-3/4"	Flush			32"			•	C498	•	•	•	•	
							34"			•						
							36"			•						
							42"			•						
C953/C955 C956	Contemporary	Engraved	1-3/4"	Flush			32"				C498	•	•	•	•	
							34"			•						
							36"			•						
							42"			•						
C957/C958	Contemporary	Engraved	1-3/4"	Flush			32"			•	C498	•	•	•	•	
							34"			•						
							36"			•						
							42"			•						

DIMENSION MATRIX

All door panels are availaible in 2-¼" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS	WIDTH	HEIGHT			MATCHING SIDELITE	SIDELITE WIDTH			
									6-8"	7'	8'		10"	12"	14"	16"
CHERRY	C601/C602 C603/C604	Contemporary	Stainless Inlay	1-3/4"	Flush			32"				C498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	C605/C606 C607/C615	Contemporary	Stainless Inlay	1-3/4"	Flush			32"				C498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	C608/C609 C610/C611	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32"			•	C498	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	C612/C613 C614/C665	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32"			•	C498	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
FIR	F300	Craftsman		1-3/4"	3	23-3/4"x15-1/4"	•	32"				F-SL-1P F-SL-2P		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	F350	Craftsman		1-3/4" 2-1/4"	3	23-3/4"x19-1/4"	•	32"			•	F-SL-1P F-SL-2P		•	•	•
								34"			•					
								36"			•					
								42"								
	F800	YourStyle™		1-3/4"	1	22"x64"	•	32"				F-SL-1P		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	F801	YourStyle™		1-3/4" 2-1/4"	1	22"x80"	•	32"			•	F-SL-1P		•	•	•
								34"			•					
								36"			•					
								42"								
EDGE SMOOTH	E703	Contemporary		1-3/4"	Flush	8"x64" 22"x3.5" 22"x64"	•	32"	•	•		E704	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	E705	Contemporary		1-3/4" 2-1/4"	Flush	8"x80" 22"x80"	•	32"			•	E707	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	E500/E501 E536/E528	Contemporary	Engraved	1-3/4"	Flush			32"	•	•		E704	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	E550/E551 E552/E553	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"			•	E707	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	E900/E901 E902	Contemporary	Engraved	1-3/4"	Flush			32"	•	•		E704	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	E903/E905 E906	Contemporary	Engraved	1-3/4"	Flush			32"				E704	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	E904	Contemporary	Engraved	1-3/4"	Flush			32"				E704	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	E907/E908	Contemporary	Engraved	1-3/4"	Flush			32"	•	•		E704	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	E950/E951 E952	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"			•	E707	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	E953	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"			•	E707	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	E954	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"				E707	•	•	•	•
								34"			•					
36"										•						
42"																

DIMENSION MATRIX

All door panels are available in 2-¼" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS	WIDTH	HEIGHT			MATCHING SIDELITE	SIDELITE WIDTH			
									6-8"	7'	8'		10"	12"	14"	16"
EDGE SMOOTH	E955/E956	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"				E707	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	E957/E958	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"			•	E707	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	E601/E602 E603/E604	Contemporary	Stainless Inlay	1-3/4"	Flush			32"				E704	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	E605/E606 E607/E615	Contemporary	Stainless Inlay	1-3/4"	Flush			32"				E704	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	E608/E609 E610/E611	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32"				E707	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
E612/E613 E614/E665	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32"				E707	•	•	•	•	
							34"			•						
							36"			•						
							42"			•						
E700	Contemporary		1-3/4"	2	22"x48"	•	32"	•	•		E702		•	•		
							34"	•	•							
							36"	•	•							
							42"									
E701	Contemporary		1-3/4"	3	22"x17"		32"	•	•		E704	•	•	•	•	
							34"	•	•							
							36"	•	•							
							42"									
E706	Contemporary		1-3/4" 2-1/4"	2	22"x64" 22"x80"	•	32"			•	E708		•	•		
							34"			•						
							36"			•						
							42"									
E721	Craftsman		1-3/4"	3	23-3/4"x15"	•	32"				E704	•	•	•	•	
							34"	•	•							
							36"	•	•							
							42"									
E736	Shaker		1-3/4"	2	22"x36"	•	32"				E737			•	•	
							34"	•	•							
							36"	•	•							
							42"									
E746	Shaker		1-3/4" 2-1/4"	2	22"x48"	•	32"				E747			•	•	
							34"			•						
							36"			•						
							42"									
E800	Shaker		1-3/4"	1	22"x64"	•	32"				E737			•	•	
							34"	•	•							
							36"	•	•							
							42"									
MAHOGANY	M247	Classic		1-3/4"	6	22"x11" CT 22"x36" 22"x64"	•	32"	•	•		M-SL-36		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
M262	Classic		1-3/4"	3	14"x37" O 22"x48" CT 22"x48"	•	32"	•	•		M-SL-48		•	•	•	
							34"	•	•							
							36"	•	•							
							42"									
OAK	O277	Classic		1-3/4"	6	22"x11" CT 22"x36" 22"x64"	•	32"	•	•		O-SL-36		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	O292	Classic		1-3/4"	8	8"X42" RT	•	32"				O-SL-36 O-SL-48		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	O294	Classic		1-3/4"	3	22"x48" 22"x48" CT 14"x37" O	•	32"	•	•		O-SL-48		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
O308/O309	Classic		1-3/4"	2	14"x37" O 22"x48" 22"x64"		32"	•	•		O-SL-48	•	•	•	•	
							34"	•	•							
							36"	•	•							
							42"									

DIMENSION MATRIX

All door panels are availaible in 2-¼" thickness without door lites. For more information consult a Dealer/Distributor or MASTERGRAIN representative.

GRAIN	MODEL NUMBER	COLLECTION	DESIGN	DOOR THICKNESS	PANEL NUMBER	CUTOUT OPTIONS	SDL OPTIONS	WIDTH	HEIGHT			MATCHING SIDELITE	SIDELITE WIDTH			
									6-8"	7'	8'		10"	12"	14"	16"
OAK	O499	Contemporary	Flush	1-3/4" 2-1/4"	Flush	8"x64" 22"x64"		32"	•	•		O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O599	Contemporary	Flush	1-3/4" 2-1/4"	Flush	8"x80" 22"x80"		32"			•	O498	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	O124/O125	Contemporary	Engraved	1-3/4"	Plank			32"	•	•		O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O154/O155	Contemporary	Engraved	1-3/4" 2-1/4"	Plank			32"			•	O498	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	O500/O501 O528/O536	Contemporary	Engraved	1-3/4"	Flush			32"	•	•		O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O550/O551 O552/O553	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"			•	O498	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	O900/O901 O902	Contemporary	Engraved	1-3/4"	Flush			32"	•	•		O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O903/O905 O906	Contemporary	Engraved	1-3/4"	Flush			32"				O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O907/O908	Contemporary	Engraved	1-3/4"	Flush			32"	•	•		O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O950/O951 O952	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"	•	•		O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O953/O955 O956	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"				O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O957/O958	Contemporary	Engraved	1-3/4" 2-1/4"	Flush			32"	•	•		O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O601/O602 O603/O604	Contemporary	Stainless Inlay	1-3/4"	Flush			32"				O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O605/O606 O607/O608	Contemporary	Stainless Inlay	1-3/4"	Flush			32"				O498	•	•	•	•
								34"	•	•						
								36"	•	•						
								42"	•	•						
	O608/O609 O610/O611	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32"			•	O498	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
	O612/O613 O614/O665	Contemporary	Stainless Inlay	1-3/4" 2-1/4"	Flush			32"			•	O498	•	•	•	•
								34"			•					
								36"			•					
								42"			•					
KNOTTY ALDER	KA159/KA160	Rustic		1-3/4"	2	22"x36" 22"x64"	•	32"	•	•		KA-SLR		•	•	•
								34"	•	•						
								36"	•	•						
								42"								
	KA165/KA166	Rustic		1-3/4" 2-1/4"	2	22"x48" 22"x48"CT	•	32"			•	KA-SLR		•	•	•
								34"			•					
								36"			•					
								42"								



Limited Lifetime Warranty.

Visit www.mastergrain.com for details.



MASTERGRAIN Manufacturing
16567 ON-12, Midland, ON L4R 4L1

MASTERGRAIN Billing
16566 ON-12, Midland, ON, L4R 4L1

Toll Free 1 (800) 782-0559

Contact Us

